



JABATAN STANDARD MALAYSIA

(Kementerian Sains, Teknologi dan Inovasi)

Century Square, Tingkat 1 & 2, Blok 2300, Jalan Usahawan
63000 Cyberjaya, Selangor Darul Ehsan

DEPARTMENT OF STANDARDS MALAYSIA

(Ministry of Science, Technology, and Innovation)

Century Square, Level 1 & 2 Block 2300, Jalan Usahawan
63000 Cyberjaya, Selangor Darul Ehsan

**STANDARDS
MALAYSIA**

Tel : 603-8318 0002

Fax : 603-8319 3131

E-mail : info@standardsmalaysia.gov.my

File ref. no.: JSM/AD-700/01/03/06

Date: 09-05-2011

NM Laboratory Sdn Bhd
80, Lorong Perda Selatan 1
Bandar Perda
14000 Bukit Mertajam
Pulau Pinang
(Attn.: Mr. Kun Beng Teik)

Dear Sir / Madam,

**SKIM AKREDITASI MAKMAL MALAYSIA (SAMM): APPROVAL TO USE
LABORATORY COMBINED MRA MARK**

I would like to inform that the Department of Standards Malaysia (STANDARDS MALAYSIA) has approved your application to use the Laboratory Combined MRA Mark for the items listed in the checklist attached.

If you wish to remove the symbol on any documents, please inform STANDARDS MALAYSIA before doing so and if you would like to add on any other document, please fill in the checklist and forward the application to STANDARDS MALAYSIA together with the sample of document. Please take note that STANDARDS MALAYSIA has the right to review the documents in future for monitoring purposes and also to avoid mis-used of the symbol.

If you have any queries, please do not hesitate to contact officer in-charge, Ms. Sabariah Abdul Talib, Tel: 03-8319 1372, email: sabariah@standardsmalaysia.gov.my.

Thank you.

Yours faithfully,

(SHAHARUL SADRI BIN ALWI)

Director of Accreditation
for the Director General
Department of Standards Malaysia

**APPROVAL FOR USING
LABORATORY COMBINED MRA MARK**

Laboratory's name: NM Laboratory Sdn Bhd

File ref. no.: JSM/AD-700/01/04/ 288

SAMM no.: 188


Document submitted by laboratory to use "Laboratory Combined MRA Mark":

No	Item(s)	Document reviewed and approved to use Laboratory Combined MRA Mark (✓)	Compliance Yes / No
1	Test reports	✓	Yes
2	Calibration certificates	-	-
3	Letterhead	✓	Yes
4	Quotations for work	✓	Yes
5	Advertisements	✓	Yes
6	Websites	✓	Yes
7	Fax Cover	✓	Yes
8	Brochure	✓	Yes
9	Envelope	✓	Yes
10	Publications	-	-
11	Others	-	-
12	Name card	X	No

Prepared by:

Name: Sabariah Binti Abdul Talib


Signature: _____



Reviewed by:

Name: Wan Rukiman Wan Mamat

Signature: _____



Approval by Director of Accreditation

Signature: _____



(SHAHARUL SADRI BIN ALWI)

Date: _____

9/5/11

Effective date to use "Laboratory Combined MRA Mark" is the date of approval by the Director of Accreditation.

[Original - to be kept by STANDARDS MALAYSIA, Copy - to be kept by the laboratory]