



# OREGON

## Environmental Laboratory Accreditation Program



NELAP Recognized

**Eurofins Eaton Analytical, Inc.-South Bend**

**4074**

110 South Hill Street  
South Bend, IN 46617

IS GRANTED APPROVAL BY ORELAP UNDER THE 2009 TNI STANDARDS, TO PERFORM ANALYSES ON ENVIRONMENTAL SAMPLES IN MATRICES AS LISTED BELOW :

<i>Air</i>	<i>Drinking Water</i>	<i>Non Potable Water</i>	<i>Solids and Chem. Waste</i>	<i>Tissue</i>
	Chemistry	Microbiology		
	Microbiology			
	Radiochemistry			

AND AS RECORDED IN THE LIST OF APPROVED ANALYTES, METHODS, ANALYTICAL TECHNIQUES, AND FIELDS OF TESTING ISSUED CONCURRENTLY WITH THIS CERTIFICATE AND REVISED AS NECESSARY.

ACCREDITED STATUS DEPENDS ON SUCCESSFUL ONGOING PARTICIPATION IN THE PROGRAM AND CONTINUED COMPLIANCE WITH THE STANDARDS.

CUSTOMERS ARE URGED TO VERIFY THE LABORATORY'S CURRENT ACCREDITATION STATUS IN OREGON.

*Christopher L. Redman*

Christopher L. Redman, BA  
Oregon State Public Health Laboratory  
ORELAP Program Manager  
3150 NW. 229th Ave, Suite 100  
Hillsboro, OR 97124

EFFECTIVE DATE : 09/17/2017

EXPIRATION DATE : 09/16/2018

Certificate No : 4074 - 005





# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

As of 9/17/2017 this list supersedes all previous lists for this certificate number.

MATRIX	Reference	Code	Analyte	Code	Description
<b>Drinking Water</b>	EPA 150.1			10008409	pH - Electrometric Measurement
		1900	pH		
	EPA 1623			10236609	Filtration/IMS/FA: Cryptosporidium and Giardia
		2510	Cryptosporidia		
		2545	Giardia		
	EPA 180.1 2			10011800	Turbidity - Nephelometric
		2055	Turbidity		
	EPA 200.2			10013000	Sample Preparation Procedure for Spectrochemical Determination of Total Recoverable Elements - Revision 2.8
		8031	Extraction/Preparation		
	EPA 200.7 4.4			10013806	ICP - metals
		1035	Calcium		
		1070	Iron		
		1085	Magnesium		
		1125	Potassium		
		1990	Silica as SiO2		
		1155	Sodium		
	EPA 200.8 5.4			10014605	Metals by ICP-MS
		1000	Aluminum		
		1005	Antimony		
		1010	Arsenic		
	1015	Barium			
	1020	Beryllium			
	1030	Cadmium			
	1040	Chromium			
	1055	Copper			
	1075	Lead			
	1090	Manganese			
	1100	Molybdenum			
	1105	Nickel			
	1140	Selenium			
	1150	Silver			
	1165	Thallium			
	3035	Uranium			
	1185	Vanadium			
	1190	Zinc			



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 218.6 3.3		10028009	Dissolved Hexavalent Chromium by Ion Chromatography
	1045 Chromium VI		
EPA 218.7 1		10268414	Determination of Hexavalent Chromium in Drinking Water by Ion Chromatography with Post-column Derivatization and UV-VIS Spectroscopic Determination
	1045 Chromium VI		
EPA 245.1 3		10036609	Mercury by Cold Vapor Atomic Absorption
	1095 Mercury		
EPA 300.0 2.1		10053200	Methods for the Determination of Inorganic Substances in Environmental Samples
	1540 Bromide		
	1570 Chlorate		
	1575 Chloride		
	1595 Chlorite		
	1730 Fluoride		
	1810 Nitrate as N		
	2000 Sulfate		
EPA 300.1 1.0		10275602	Determination of Inorganic Anions in Drinking Water by Ion Chromatography
	1535 Bromate		
EPA 317.0 EPA 317.0		10237602	Inorganic Oxyhalide Disinfection Byproducts in Drinking Water
	1535 Bromate		
EPA 331.0 1.0		10059708	Determination of Perchlorate in Drinking Water by Liquid Chromatography Electrospray Mass Spectrometry (LC/ESI/MS)
	1895 Perchlorate		
EPA 335.4 EPA 335.4		10061402	Methods for the Determination of Inorganic Substances in Environmental Samples
	1635 Cyanide		
EPA 353.2 2		10067604	Nitrate/Nitrite Nitrogen - Automated, Cadmium
	1810 Nitrate as N		
	1820 Nitrate-nitrite		
	1840 Nitrite as N		
EPA 504.1 1.1		10082801	EDB/DBCP/TCP micro-extraction, GC/ECD
	4570 1,2-Dibromo-3-chloropropane (DBCP)		
	4585 1,2-Dibromoethane (EDB, Ethylene dibromide)		



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

Field	EPA Method	Method Number	Method Name	Parameter
<b>Drinking Water</b>	EPA 505.2.1	10083406	Organohalide pesticides/PCBs (Drinking Water)	
		8880	Aroclor-1016 (PCB-1016)	
		8885	Aroclor-1221 (PCB-1221)	
		8890	Aroclor-1232 (PCB-1232)	
		8895	Aroclor-1242 (PCB-1242)	
		8900	Aroclor-1248 (PCB-1248)	
		8905	Aroclor-1254 (PCB-1254)	
		8910	Aroclor-1260 (PCB-1260)	
		7250	Chlordane (tech.)	
		8870	PCBs	
	8250	Toxaphene (Chlorinated camphene)		
	EPA 515.3.1	10088401	Chlorinated acids Liquid/Solid and GC/ECD	
		8655	2,4,5-T	
		8545	2,4-D	
		8560	2,4-DB	
		8600	3,5-Dichlorobenzoic acid	
		8505	Acifluorfen	
		8530	Bentazon	
		8540	Chloramben	
		8550	Dacthal (DCPA)	
		8555	Dalapon	
		8595	Dicamba	
		8605	Dichloroprop (Dichlorprop)	
		8620	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	
		6605	Pentachlorophenol	
		8645	Picloram	
		8650	Silvex (2,4,5-TP)	
	EPA 522.1	10088570	1,4-Dioxane in Drinking Water by SPE and GC/MS SIM	
		4735	1,4-Dioxane (1,4- Diethyleneoxide)	
	EPA 524.2.4.1	10088809	Volatile Organic Compounds GC/MS Capillary Column	
		5105	1,1,1,2-Tetrachloroethane	
		5160	1,1,1-Trichloroethane	
		5110	1,1,2,2-Tetrachloroethane	
		5165	1,1,2-Trichloroethane	
		7450	1,1-Dichloro-2-propanone	
		4630	1,1-Dichloroethane	
		4640	1,1-Dichloroethylene	
		4670	1,1-Dichloropropene	
		5150	1,2,3-Trichlorobenzene	
		5180	1,2,3-Trichloropropane	



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

### Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 524.2 4.1		
5155	1,2,4-Trichlorobenzene	
5210	1,2,4-Trimethylbenzene	
4610	1,2-Dichlorobenzene	
4635	1,2-Dichloroethane (Ethylene dichloride)	
4655	1,2-Dichloropropane	
5215	1,3,5-Trimethylbenzene	
4615	1,3-Dichlorobenzene	
4660	1,3-Dichloropropane	
4620	1,4-Dichlorobenzene	
4480	1-Chlorobutane	
4665	2,2-Dichloropropane	
4410	2-Butanone (Methyl ethyl ketone, MEK)	
4535	2-Chlorotoluene	
4860	2-Hexanone (MBK)	
5020	2-Nitropropane	
4540	4-Chlorotoluene	
4910	4-Isopropyltoluene (p-Cymene)	
4995	4-Methyl-2-pentanone (MIBK)	
4315	Acetone	
4340	Acrylonitrile	
4355	Allyl chloride (3-Chloropropene)	
4375	Benzene	
4385	Bromobenzene	
4390	Bromochloromethane	
4395	Bromodichloromethane	
4400	Bromoform	
4450	Carbon disulfide	
4455	Carbon tetrachloride	
4470	Chloroacetonitrile	
4475	Chlorobenzene	
4575	Chlorodibromomethane	
4485	Chloroethane (Ethyl chloride)	
4505	Chloroform	
4645	cis-1,2-Dichloroethylene	
4680	cis-1,3-Dichloropropene	
4595	Dibromomethane (Methylene bromide)	
4625	Dichlorodifluoromethane (Freon-12)	
4725	Diethyl ether	
4810	Ethyl methacrylate	
4765	Ethylbenzene	
4770	Ethyl-t-butylether (ETBE) (2-Ethoxy-2-methylpropane)	
4835	Hexachlorobutadiene	
4840	Hexachloroethane	



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 524.2 4.1	4870	Iodomethane (Methyl iodide)
	4900	Isopropylbenzene (Cumene)
	5240	m+p-xylene
	4925	Methacrylonitrile
	4945	Methyl acrylate
	4950	Methyl bromide (Bromomethane)
	4960	Methyl chloride (Chloromethane)
	4990	Methyl methacrylate
	5000	Methyl tert-butyl ether (MTBE)
	4975	Methylene chloride (Dichloromethane)
	5005	Naphthalene
	4435	n-Butylbenzene
	5015	Nitrobenzene
	5090	n-Propylbenzene
	5250	o-Xylene
	5035	Pentachloroethane
	5080	Propionitrile (Ethyl cyanide)
	4440	sec-Butylbenzene
	5100	Styrene
	4370	T-amylmethylether (TAME)
	4420	tert-Butyl alcohol
	4445	tert-Butylbenzene
	5115	Tetrachloroethylene (Perchloroethylene)
	5120	Tetrahydrofuran (THF)
	5140	Toluene
	5205	Total trihalomethanes
	4700	trans-1,2-Dichloroethylene
	4685	trans-1,3-Dichloropropylene
	4605	trans-1,4-Dichloro-2-butene
	5170	Trichloroethene (Trichloroethylene)
	5175	Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)
	5235	Vinyl chloride
	5260	Xylene (total)

EPA 525.2 2

10090003

Semi-Volatile by SPE extraction and GC/MS

7355	4,4'-DDD
7360	4,4'-DDE
7365	4,4'-DDT
5500	Acenaphthene
5505	Acenaphthylene
7005	Alachlor
7025	Aldrin
5555	Anthracene



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 525.2 2	7065	Atrazine
	5575	Benzo(a)anthracene
	5580	Benzo(a)pyrene
	5590	Benzo(g,h,i)perylene
	5600	Benzo(k)fluoranthene
	5585	Benzo[b]fluoranthene
	6062	bis(2-Ethylhexyl)adipate
	7130	Bromacil
	7160	Butachlor
	5670	Butyl benzyl phthalate
	7310	Chlorthalonil (Daconil)
	5855	Chrysene
	6065	Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)
	5895	Dibenz(a,h) anthracene
	7470	Dieldrin
	6070	Diethyl phthalate
	6135	Dimethyl phthalate
	5925	Di-n-butyl phthalate
	7540	Endrin
	7555	EPTC (Eptam, s-ethyl-dipropyl thio carbamate)
	6270	Fluorene
	7120	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)
	7685	Heptachlor
	7690	Heptachlor epoxide
	6275	Hexachlorobenzene
	6285	Hexachlorocyclopentadiene
	6315	Indeno(1,2,3-cd) pyrene
	7810	Methoxychlor
	7835	Metolachlor
	7845	Metribuzin
	7875	Molinate
	6615	Phenanthrene
	8040	Prometryn
	8045	Propachlor (Ramrod)
	6665	Pyrene
	8125	Simazine
	8180	Terbacil
	8220	Thiobencarb
	8295	Trifluralin (Treflan)

EPA 531.2 1

10091302

Carbamate Pesticides by Post-column Derivatization HPLC/Fluorescence

7710 3-Hydroxycarbofuran



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

### Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 531.2 1	7010	Aldicarb (Temik)	
	7015	Aldicarb sulfone	
	7020	Aldicarb sulfoxide	
	7195	Carbaryl (Sevin)	
	7205	Carbofuran (Furaden)	
	7800	Methiocarb (Mesurol)	
	7805	Methomyl (Lannate)	
	7940	Oxamyl	
	8080	Propoxur (Baygon)	
EPA 537 1.1	10091675	Perfluorinated Alkyl Acids in Drinking Water by SPE and LC/MS/MS	
	4846	2-(N-Ethyl-perfluorooctane sulfonamido) acetic acid (EtFOSAA)	
	4847	2-(N-Methyl-perfluorooctane sulfonamido) acetic acid (MeFOSAA)	
	6911	Perfluorobutane Sulfonate (PFBS)	
	6905	Perfluorodecanoic acid (PFDA)	
	6903	Perfluorododecanoic (PFDDA)	
	6908	Perfluoroheptanoic acid (PFHpA)	
	6910	Perfluorohexane Sulfonate (PFHS)	
	6913	Perfluorohexanoic acid (PFHXA)	
	6906	Perfluorononanoic acid (PFNA)	
	6912	Perfluorooctanoic acid	
	6909	Perfluorooctanoic Sulfonate (PFOS)	
	6902	Perfluorotetradecanoic acid (PFTDA)	
	9563	Perfluorotridecanoic (PFTRIA)	
	6904	Perfluoroundecanoic acid (PFUDA)	
EPA 547	10092009	Glyphosate by Direct Aqueous Injection by Post-column Derivatization and HPLC/Fluorescence	
	9411	Glyphosate	
EPA 548.1 1	10092805	Endothall by Ion Exchange, Methylation and GC/MS	
	7525	Endothall	
EPA 549.2 1	10093400	Diquat/Paraquat by Liquid/Liquid Extraction and HPLC/UV-VIS	
	9390	Diquat	
	9528	Paraquat	
EPA 551.1 1	10094801	Chlorination Disinfection Byproducts, Liquid/Liquid Extraction and GC/ECD	
	5190	1,1,1-Trichloro-2-propanone	
	7450	1,1-Dichloro-2-propanone	
	7140	Bromochloroacetonitrile	
	4395	Bromodichloromethane	
	4400	Bromoform	
	4460	Chloral hydrate	





# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 551.1 1	4575	Chlorodibromomethane		
	4505	Chloroform		
	7270	Chloropicrin		
	7420	Dibromoacetonitrile		
	7440	Dichloroacetonitrile		
	5205	Total trihalomethanes		
	8270	Trichloroacetonitrile		
EPA 552.2 1			10095804	Haloacetic Acid/Dalapon, Liquid/Liquid Extraction, Derivatization and GC/ECD
	9312	Bromoacetic acid		
	9315	Bromochloroacetic acid		
	8535	Bromodichloroacetic acid(BDCAA)		
	9336	Chloroacetic acid		
	9339	Chlorodibromoacetic acid(CDBAA)		
	9357	Dibromoacetic acid		
	9360	Dichloroacetic acid		
	9414	Total haloacetic acids		
	9639	Tribromoacetic acid (TBAA)		
	9642	Trichloroacetic acid		
EPA 552.3 1			10239608	Haloacetic Acid/Dalapon, Microextraction, Derivatization and GC/ECD
	9312	Bromoacetic acid		
	9315	Bromochloroacetic acid		
	8535	Bromodichloroacetic acid(BDCAA)		
	9336	Chloroacetic acid		
	9339	Chlorodibromoacetic acid(CDBAA)		
	9357	Dibromoacetic acid		
	9360	Dichloroacetic acid		
	9414	Total haloacetic acids		
	9639	Tribromoacetic acid (TBAA)		
	9642	Trichloroacetic acid		
EPA 556 1			10097004	Determination of Carbonyl Compounds in Drinking Water by Pentafluorobenzylhydroxylamine Derivatization and Capillary Gas Chromatography with Electron Capture Detection
	4300	Acetaldehyde		
	5570	Benzaldehyde		
	4430	Butylaldehyde (Butanal)		
	4545	Crotonaldehyde		
	4560	Cyclohexanone		
	4565	Decanal		
	4815	Formaldehyde		
	9413	Glyoxal		



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

### Drinking Water

EPA 556 1	4820	Heptanal		
	3825	Hexanaldehyde (Hexanal)		
	7266	Methyl glyoxal		
	9525	n-Octaldehyde (Octanal)		
	6575	Nonanal		
	6935	Propanal (Propionaldehyde)		
	4040	Valeraldehyde (Pentanal, Pentanaldehyde)		
EPA 906			10114008	Tritium
	3030	Tritium		
NJ ECLS-R-GA 8			90014394	NJ Environmental and Clinical Laboratory Services 48 Hour Rapid Gross Alpha Test
	2830	Gross-alpha		
SM 2120 B 22nd Ed			20039014	Color - Visual Comparison Method
	1605	Color		
SM 2320 B 21st ED			20045403	Alkalinity by Titration Method
	1505	Alkalinity as CaCO3		
SM 2320 B 22nd Ed			20045414	Alkalinity by Titration
	1615	Corrosivity		
SM 2330 B 22nd Ed			20003365	Calcium Carbonate Indices
	1615	Corrosivity		
SM 2340 B 22nd Ed			20046417	Hardness - Hardness by Calculation
	1760	Hardness (calc.)		
	1804	Magnesium Hardness		
SM 2340 B-97 1997			20046600	Hardness by calculation
	1550	Calcium hardness as CaCO3		
	1755	Total hardness as CaCO3		
SM 2510 B 22nd Ed			20048413	Conductivity by Probe
	1610	Conductivity		
SM 2540 C 22nd Ed			20050424	Total Dissolved Solids Dried at 180 deg C
	1955	Residue-filterable (TDS)		
SM 4500-CI G 22nd Ed			20081418	Chlorine (Residual) - DPD Colorimetric Method
	1945	Residual free chlorine		
SM 4500-CI G 21st ED			20081407	Chlorine by DPD Colorimetric Method
	1940	Total residual chlorine		
SM 4500-F C 22nd Ed			20102210	Fluoride by Ion Selective Electrode
	1730	Fluoride		



# OREGON

## Environmental Laboratory Accreditation Program



### ORELAP Fields of Accreditation

ORELAP ID: 4074

Eurofins Eaton Analytical, Inc.-South Bend

EPA CODE: IN00035

110 South Hill Street

Certificate: 4074 - 005

South Bend, IN 46617

Issue Date: 9/17/2017 Expiration Date: 9/16/2018

**As of 9/17/2017 this list supersedes all previous lists for this certificate number.**

Drinking Water	Method	Parameter	Method ID	Method Description
SM 4500-P E 21st Ed	1870	Orthophosphate as P	20124009	Phosphorus by Ascorbic Acid Method
	2040	Total organic carbon		
SM 5310 C 21st ED	1710	Dissolved organic carbon (DOC)	20138607	TOC by Persulfate-Ultraviolet or Heated-Persulfate Oxidation Method
	2040	Total organic carbon		
SM 5910 B 22nd Ed	2060	UV 254	20146218	UV-Absorbing Organic Constituents - Ultraviolet Absorption Method
SM 7110 B (GPC) 22nd Ed	2830	Gross-alpha	20156814	Gross alpha/beta by Evaporation by Proportional Counte
	2840	Gross-beta		
SM 7110 C (GPC) 22nd Ed	2830	Gross-alpha	20158810	Gross alpha by Coprecipitation
SM 7500-Ra B (GPC) 22nd Ed	2965	Radium-226	20170416	Radium - Precipitation Method
SM 7500-Ra D 22nd Ed	2970	Radium-228	20173415	Radium by Sequential Precipitation Method
SM 7500-RN B 22nd Ed	2985	Radon	20173711	Radon by Liquid Scintillation Method
SM 9215 E SimPlate®	2555	Heterotrophic plate count	20185302	Fluorogenic Quantitative (SimPlate®): Heterotrophic Bacteria
SM 9223 B (Colilert Quanti-Tray)-2004 22nd Ed	2525	Escherichia coli	20211614	Enzyme Substrate Coliform Test (Colilert Quanti-Tray)
	2500	Total coliforms		
SM 9223 B (Colilert) 22nd Ed	2525	Escherichia coli	20212413	Enzyme Substrate Coliform Test (Colilert) P/A
	2500	Total coliforms		
SM 9223 B (Colilert-18) 22nd Ed	2525	Escherichia coli	20214419	Enzyme Substrate Coliform Test (Colilert-18)
	2500	Total coliforms		
SM 9223 B (Colisure) 22nd Ed	2525	Escherichia coli	20231612	Enzyme Substrate Coliform Test (Colisure)
	2500	Total coliforms		
Non-Potable Water	EPA 1623		10236609	Filtration/IMS/FA: Cryptosporidium and Giardia
	2510	Cryptosporidia		

---

**Non-  
Potable  
Water**

EPA 1623

2545

Giardia