



DEPARTMENT OF THE ENVIRONMENT  
WATER SUPPLY PROGRAM

*Certifies That*

***Eurofins CEI, Inc.***

730 SE Maynard Road, Cary, NC 27511

*Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a*

***State Certified Water Quality Laboratory***

*to perform the analyses indicated on the Annual Certified Parameter List,  
which must accompany this certificate.*

MD Lab ID # 359

Date Issued March 11, 2022

Expiration Date March 31, 2023  
(Not Transferable)

*Gregory C Busch*

Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE01863



# Maryland

## Department of the Environment

Larry Hogan, Governor  
Boyd K. Rutherford, Lt. Governor

Ben Grumbles, Secretary  
Horacio Tablada, Deputy Secretary

March 11, 2022

Tianboa Bai, Ph.D., CIH  
Eurofins CEI, Inc.  
730 SE Maynard Road  
Cary, NC 27511

**Re: Current Maryland Water Quality Certificate  
Eurofins CEI, Inc.  
MD Lab ID: 359**

Dear Dr. Bai,

Enclosed please find your current certificate for drinking water laboratory certification in the state of Maryland. The certificate and fees are renewable annually.

If the laboratory has any changes in methods, personnel, major equipment, ownership, name change, or location during the year, you are required to advise this office within 30 days.

If you have any questions, please do not hesitate to contact Taj Goodlow at [taj.goodlow@maryland.gov](mailto:taj.goodlow@maryland.gov), or me at [naomi.bryner@maryland.gov](mailto:naomi.bryner@maryland.gov).

Sincerely,

Naomi Bryner  
Chemist III  
Lab Certification Program  
Water Supply Program

Enclosure (MD certificate)



## ***SDWA ANNUAL CERTIFIED PARAMETER LIST***

Issued Date: March 11, 2022

Expiration Date: March 31, 2023

Eurofins CEI, Inc.  
730 SE Maynard Road  
Cary, NC 27511

Tianboa Bai, Ph.D., CIH  
MD Lab ID: 359  
EPA Lab ID: NC02074

<b>ANALYTE</b>	<b>METHOD</b>	<b>STATUS</b>
Asbestos	EPA 100.2	Certified