

2018 Late Seasonal Sign Up Contract for Pool/Spa/Lake (Appendix A)

BILLING ADDRESS:

NAME AND LOCATION OF POOL/SPA/

Location Info

TOTAL NUMBER OF FACILITIES: #_____ (Please circle **C** or **B** below for Chlorine or Bromine)

#_____ Outdoor Pool (**C** or **B**)

#_____ Hot Tub/Whirlpool/Spa (**C** or **B**)

#_____ Indoor Pool (**C** or **B**)

#_____ Lake

#_____ Baby/Wading Pool (**C** or **B**)

Special sampling requirements (e.g., same filter, deep/shallow, three point sampling, bracket resampling, or non-standard tests):

Availability

HOURS OF
OPERATION:

	Mon	Tues	Wed	Thurs	Fri	Sat	Sun
Open							
Close							
Open							
Close							

SAMPLING START DATE Week of: _____ SAMPLING END DATE Week of: _____

-NOTE: if you need a sample prior to opening for the season, please include that week in your start date.

-The end date is the final week we will perform a sample collection and analysis

ANY CLOSED DAYS: _____

LOCKBOX?: **YES** (Code: _____) / **NO**

Were keys provided? **YES** / **NO**

HEALTH DEPARTMENT: «Regulatory»

Prices

- Bucks County**

Sampling and field readings \$75.00, Additional bodies of water sampling \$40.00, Analysis per sample \$60.00

- Metropolitan area in Philadelphia**

Sampling and field readings \$75.00, Additional bodies of water sampling \$40.00, Analysis per sample \$60.00

- Pennsylvania**

Sampling and field readings \$75.00, Additional bodies of water sampling \$40.00, Analysis per sample \$60.00

- New Jersey**

Sampling and field readings \$325.00, Additional bodies of water sampling \$125.00, Analysis per sample \$150.00

- Lakes**

Sampling and field readings \$850.00, Additional bodies of water sampling \$250.00, Analysis per sample \$250.00

-More than one body of water at the same address will have the reduced "Additional bodies of water" sampling fee.

-Any resamples due to Health Department requirements will be invoiced at the per-sample rate.

-Scheduling tests may be delayed if any portion of the agreement is not completed correctly or fully.

-An email and phone number must be provided, or your agreement will not be scheduled for testing.

-Due to hold time regulation, capacity may be limited. New Jersey clients are recommended to reach out as soon as possible.

2018 Seasonal Pool/Spa/Lake Contract (Appendix A)

NAME AND LOCATION OF POOL/SPA/LAKE:

2018 Changes

Eurofins QC has done major reorganization in preparation for the new NJDOH Public Recreational Bathing rules 8:26. Our goal for the 2018 season is to help keep our clients in compliance in order to ensure the best quality of service with an emphasis on accuracy and time.

- Our Logistics team has been expanded in order to ensure sampling events are uninterrupted.
- We have invested half a million dollars into a brand new fleet of vehicles, to ensure reliability and route efficiency.
- A specialized LEAN team has been created to focus on stream lining.
- New Account Review staff has been brought on board to monitor and update accounts.
- New Client Service staff has been hired in order to better service your needs.

Contacts

Analytical Report Main Contact:

Name: _____

Email: _____

Phone: _____ Mobile: _____

Invoices Main Contact:

Name: _____

Email: _____

Phone: _____ Mobile: _____

Copy of Analytical Report:

Email: _____

Email: _____

Copy of Invoice:

Email: _____

Email: _____

Authorizing Agent Name: _____

Authorizing Agent Signature: _____ Date (MM/DD/YY): _____

PAYMENT METHOD

NAME AND LOCATION OF POOL/SPA/LAKE:

Method

Please indicate payment method (SELECT ONE) Do not submit a check with this contract:

I will pay through BillerXChange (online credit card portal): _____

<https://regions.billeriq.com/ebpp/EurofinsQC/>

Or

CHECK

I will mail a check in each month: _____

EQC Will no longer offer prepayment or an end of season payment

APPENDIX B - REGULATORY REQUIREMENTS FOR POOL SAMPLING AND ANALYSIS

Please return your contract as far in advance as possible. With the new requirements, schedules will fill quickly and there is no guarantee that we will be able to sample the week before opening without the proper coordination from our clients.

NEW JERSEY – STATE ADMINISTRATIVE CODE

Sample Location Type	Test Parameter	
Lake	E. Coli, pH	
Pool	Coliform, SPC, pH, Chlorine or bromine	Cyanuric Acid (outdoor pools only if employed)
Spa	Pseudomonas, SPC, pH, Chlorine or bromine	

Sampling - Samples must be collected weekly at the time of maximum bather load and delivered to an NJDEP certified environmental laboratory for analysis within 8 hours of sampling.

New Jersey Department of Health (NJDOH) Update – As of January 16th, 2018 the NJDOH updated their State Sanitary Code, Chapter IX, Public Recreational Bathing (N.J.A.C 8:26).

- The time between sample collection and analysis at the lab has gone from 30 hours to 8 hours for the analysis of pools, spas and aquatic facilities.
- All notifications of bacterial exceedances to clients and the health department must be completed within one hour of determining the result.
- In addition to the one hour notification, lake exceedances must be reported to the health department before 1400.
- Resamples must be collected and analyzed within 24 hours upon notification of an unsatisfactory result.
- Prior to opening for the season, pools, spas, or any aquatic recreational facilities must have a water sample collected.

Salem County and Long Beach Island

Resampling necessitated by positive bacteriological tests must be collected within 24 hours of receipt of the initial failing result.

Sussex County and Franklin Lakes

Resampling necessitated by positive bacteriological tests must be collected the same day as the receipt of the initial failing result.

Gloucester County

A compliant bacteriological test report must be present on site to qualify for a seasonal operating permit.

PENNSYLVANIA – STATE ADMINISTRATIVE CODE

Sample Location Type	Test Parameter	
Lake	E.coli, pH	
Pool or spa	Coliform, pH, Chlorine or bromine	Cyanuric Acid (only outdoor pools that add the chemical)

Sampling - Samples must be collected within one week of a bathing beach's seasonal opening and then weekly at a minimum during the time of maximum use. The samples shall be analyzed by a Pennsylvania certified drinking water laboratory.

Bucks County

Sample Location Type	Test Parameter
Lake	E.coli, pH
Pool or spa	Coliform, SPC, pH, Chlorine or bromine

Sampling - Water test samples collected from all public bathing places shall be conducted by a laboratory certified by the Pennsylvania Department of Environmental Protection (PADEP). Bacteriological quality must be monitored once each week when the public bathing place is in operation. All sample analyses must be performed by a laboratory certified by the Commonwealth in accordance with the provisions of 25 PA Code Chapter 109 "Pennsylvania Safe Drinking Water".

Philadelphia Metropolitan Area

This area is defined by zip codes 19131, 19139, 19143, 19104, 19121, 19130, 19103, 19108, 19107, 19106, 19123, 19122, 19125, 19146, 19147, 19145, 19148, 19102

Montgomery County

A sample shall be collected within one week of the bathing beach's seasonal opening and then at least weekly during the period of maximum use.

Radnor Township

Compliant bacteriological samples must be collected for two weeks prior to pool's initial seasonal opening.

NOTIFICATION AND RESAMPLING

All failure notifications are via email. Resamples will be automatically scheduled.