

State of Michigan
Department of Environmental Quality
Remediation & Redevelopment Division



CERTIFIES:

**EUROFINS EATON ANALYTICAL, LLC
SOUTH BEND**

**HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:**

FULL CERTIFICATION

INORGANIC CHEMISTRY

Antimony, Arsenic, Barium, Beryllium
Bromate, Bromide, Cadmium, Calcium, Chlorate, Chlorite
Chromium, Copper, Cyanide, Fluoride, Lead, Magnesium, Mercury
Nickel, Nitrate, Nitrite, Orthophosphate, Perchlorate, Potassium, Selenium, Sodium
Sulfate, Thallium, Total Nitrates, Total Organic Carbon, Uranium

**This certification requires maintenance of an acceptable quality assurance
program, use of approved methodology and equipment,
and satisfactory performance on evaluation samples.**

This certification does not guarantee validity of data generated.



March 22, 2022

Expiration Date

March 22, 2022

Fees Paid to Date

March 27, 2019

Effective Date

Laboratory Certification Officer

9926

Laboratory Number

State of Michigan
Department of Environmental Quality
Remediation & Redevelopment Division



CERTIFIES:
EUROFINS EATON ANALYTICAL, LLC
SOUTH BEND

HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:

FULL CERTIFICATION
ORGANIC CHEMISTRY

2,4,5-TP, 2,4-D, 3-Hydroxycarbofuran, Alachlor, Aldicarb,
Aldicarb Sulfone, Aldicarb Sulfoxide, Aldrin, Atrazine, Benzo(a)pyrene,
Butachlor, Carbaryl, Carbofuran, Chlordane, Dalapon, DBCP, Di(2-ethylhexyl)adipate,
Di(2-ethylhexyl)phthalate, Dicamba, Dieldrin, Dinoseb, Diquat, EDB, Endothall,
Endrin, Glyphosate, Haloacetic Acids, Heptachlor, Heptachlor Epoxide, Hexachlorobenzene,
Hexachlorocyclopentadiene, Lindane, Methomyl, Methoxychlor, Metolachlor,
Metribuzin, Oxamyl, PCBs as Arochlors, Pentachlorophenal, Picloram,
Propachlor, Regulated and Unregulated Volatile Organic Chemicals
Simazine, Total Trihalomethanes, Toxaphene


**This certification requires maintenance of an acceptable quality assurance
program, use of approved methodology and equipment,
and satisfactory performance on evaluation samples.
This certification does not guarantee validity of data generated.**



March 22, 2022
Expiration Date

March 22, 2022
Fees Paid To Date

March 27, 2019
Effective Date


Laboratory Certification Officer

9926
Laboratory Number

State of Michigan
Department of Environmental Quality
Remediation & Redevelopment Division



CERTIFIES:

**EUROFINS EATON ANALYTICAL, LLC
SOUTH BEND**

HAS BEEN EVALUATED AND IS APPROVED FOR THE FOLLOWING
PARAMETERS FOR THE ANALYSIS OF DRINKING WATER:

FULL CERTIFICATION

MICROBIOLOGY

Total Coliform and E.coli
Enumeration of E.coli
Heterotrophic Bacteria

This certification requires maintenance of an acceptable quality assurance program, use of approved methodology and equipment, and satisfactory performance on evaluation samples.

This certification does not guarantee validity of data generated.



March 22, 2022

Expiration Date

March 22, 2022

Fees Paid To Date

March 27, 2019

Effective Date

Laboratory Certification Officer

9926

Laboratory Number

EQC 2310 12/02

Authority: Act 399, PA 1976, 2019



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
LANSING



C. HEIDI GREYER
DIRECTOR

September 28, 2018

Mr. Dale Piechocki
Eurofins Eaton Analytical, LLC.
110 South Hill Street
South Bend, IN 46617

Laboratory No: 9926
Effective Date: 09/17/2018

Dear Mr. Piechocki:

SUBJECT: Recognition of Certification for Radiological Testing

The information that was prepared and/or submitted to this office by the Oregon Environmental Laboratory Accreditation Program and your laboratory has been reviewed. Based on this information and the radiological certification from the Oregon Environmental Laboratory Accreditation Program, the Michigan Department of Environmental Quality (DEQ) will recognize results generated by your facility for the radiochemistry parameters listed on your certification from the Oregon Environmental Laboratory Accreditation Program.

The State of Michigan does not certify laboratories for radiochemistry analyses. This letter only serves as recognition of your facility so you may analyze drinking water samples originating in the State of Michigan. Our acceptance of results from Eurofins Eaton Analytical, LLC. – South Bend is contingent on your continued certification by the Oregon Environmental Laboratory Accreditation Program. In addition, your laboratory's status in Michigan is contingent on your laboratory submitting to this office at least one full set of acceptable proficiency test sample results from a state-approved supplier on a running 12-month basis throughout the certification period.

Our recognition of your facility will expire on September 16, 2019. Forward the new certificates and a copy of the on-site inspection report with the laboratory's corrective action reply once you renew your certification with the Oregon Environmental Laboratory Accreditation Program. You will be reissued recognition upon review and acceptance of the materials submitted to this office. If you have questions or comments regarding this information please contact me by phone at 517-335-9219 or by email at lundyg@michigan.gov.

Sincerely,

Gregg A. Lundy
Laboratory Certification Officer
Laboratory Services Section
Remediation and Redevelopment Division

GL/lsh

cc: Indiana State Department of Health
Oregon Environmental Laboratory Accreditation Program
DEQ DWMAD Lansing District Office



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
LANSING



LIESL EICHLER CLARK
DIRECTOR

March 27, 2019

Mr. Dale Piechocki
Eurofins Eaton Analytical, LLC.- South Bend
110 South Hill Street
South Bend, IN 46617

Laboratory No: 9926

Dear Mr. Piechocki:

SUBJECT: Laboratory Certification

The information that was prepared and submitted to this office by your laboratory has been reviewed. Based on this information, the Michigan Department of Environmental Quality has certified Eurofins Eaton Analytical, LLC., South Bend, IN for compliance monitoring under the Safe Drinking Water Act, 1976 PA 399, as amended. Our certification for your laboratory by parameter is as follows:

Microbiology

Certified Parameters:

Heterotrophic Plate Count (via the IDEXX SimPlate™ Test Method)
Total Coliform and *E. coli* (via Standard Methods, 22nd Edition, Method 9223B)
Enumeration of Total Coliform and *E. coli* (via Standard Methods, 22nd Edition, Method 9223B, Multiple Well)

Inorganic Chemistry

Certified Parameters:

Calcium, Magnesium, Potassium, and Sodium (via U.S. EPA Method 200.7)
Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Copper, Lead, Nickel, Selenium, Thallium, and Uranium (via U.S. EPA Method 200.8)
Mercury (via U.S. EPA Method 245.1)
Bromide, Chlorate, Chlorite, Fluoride, Nitrate and Sulfate (via U.S. EPA Method 300.0)
Bromate, (via U.S. EPA Method 300.1 and U.S. EPA Method 317.0)
Perchlorate (via U.S. EPA Method 331.0)
Cyanide (via U.S. EPA Method 335.4)
Nitrate, Nitrite and Total Nitrates (as N) (via U.S. EPA Method 353.2)
Fluoride (via Standard Methods, 22nd Edition, Method 4500F-C)
Orthophosphate as P (via Standard Methods, 22nd Edition, Method 4500F-C)
Total Organic Carbon (via Standard Methods, 22nd Edition, Method 5310C)

Mr. Dale Piechocki
Eurofins Eaton Analytical, LLC.- South Bend
Page 2
March 27, 2019

Organic Chemistry

Full Certification:

Dibromochloropropane (DBCP) and Dibromoethane (EDB)
(via U.S. EPA Method 504.1 and U.S. EPA Method 524.3)
Chlordane, PCBs (Screen Only) and Toxaphene (via U.S. EPA Method 505)
2,4-D, 2,4,5-TP, Dalapon, Dicamba, Dinoseb, Pentachlorophenol, and Picloram
(via U.S. EPA and 515.3)
Regulated and Unregulated Volatile Organic Chemicals (via U.S. EPA Method 524.2)
Total THMs (via U.S. EPA Methods 524.2, 524.3, and 551.1)
Aldicarb, Aldicarb Sulfoxide, Aldicarb Sulfone, Carbaryl, Carbofuran, Methomyl, Oxamyl
and 3-Hydroxycarbofuran (via U.S. EPA Method 531.2)
Di(2-ethylhexyl)adipate, Di(2-ethylhexyl)phthalate, Alachlor, Aldrin, Atrazine,
Benzo(a)pyrene, Butachlor, Dieldrin, Endrin, Heptachlor, Heptachlor Epoxide,
Hexachlorobenzene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, Metolachlor,
Metribuzin, Propachlor and Simazine (via U.S. EPA Method 525.2)
Glyphosate (via U.S. EPA Method 547)
Endothall (via U.S. EPA Method 548.1)
Diquat (via U.S. EPA Method 549.2)
Haloacetic Acids (HAA5) (via U.S. EPA Method 552.2 and 552.3)


Our certification of Eurofins Eaton Analytical, LLC. for the microbiological and chemical examination of drinking water is contingent on your continued compliance with state and federal regulations. Additionally, your certification is contingent on the submission of acceptable proficiency test results from a state-approved supplier on a running twelve-month basis.

This certification of your facility will expire on March 22, 2022. Your certification fees are paid until March 22, 2022. Please forward your certificates and on-site inspection report once you renew your certification in Indiana (home state) or with the Oregon Environmental Laboratory Accreditation Program. Provided the laboratory maintains full certification status in Indiana and Oregon you will be reissued reciprocal certification for the State of Michigan without charge until the expiration date of your home state certification exceeds the "Fees Paid to Date" on your Michigan certification. Seven months in advance of your "Fees Paid to Date" you will be sent a certification renewal package and assessed the fee for the upcoming three-year period. Certification fees are non-refundable.

Mr. Dale Piechocki
Eurofins Eaton Analytical, LLC.- South Bend
Page 3
March 27, 2019

If you have questions regarding this information, please contact me by phone at 517-335-9219 or by email at lundyg@michigan.gov.

Sincerely,



Gregg A. Lundy
Laboratory Certification Officer
Laboratory Services Section
Remediation and Redevelopment Division

GL/lsh

Enclosure

cc: Indiana State Department of Health
Oregon Environmental Laboratory Accreditation Program
DEQ DWMAD Lansing District Office