



DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM

Certifies That

***Eurofins Lancaster Laboratories
Environmental LLC***

2425 New Holland Pike, Lancaster, PA 17601

Having duly met the requirements of the regulations governing Laboratory Certification and Standards of Performance in accordance with The Annotated Code of Maryland, is hereby approved as a


State Certified Water Quality Laboratory

*to perform the analyses indicated on the Annual Certified Parameter List,
which must accompany this certificate.*

MD Lab ID # 100

Date Issued April 10, 2019


Expiration Date June 30, 2020
(Not Transferable)


Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections

CONSPICUOUSLY DISPLAY IN THE LABORATORY WITH THE ANNUAL CERTIFIED PARAMETER LIST.

MDE01580



Maryland
Department of
the Environment

Larry Hogan, Governor
Boyd K. Rutherford, Lt. Governor

Ben Grumbles, Secretary
Horacio Tablada, Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST


Issued Date: April 10, 2019

Expiration Date: June 30, 2020

Eurofins Lancaster Laboratories Environmental, LLC
2425 New Holland Pike
Lancaster, PA 17601-5994

Duane Luckenbill
MD Lab # 100
EPA ID # PA00009

ANALYTE	METHOD	STATUS
1,1,1-Trichloroethane	EPA 524.2, Rev. 4.1	Certified
1,1,2-Trichloroethane	EPA 524.2, Rev. 4.1	Certified
1,1-Dichloroethylene	EPA 524.2, Rev. 4.1	Certified
1,2,4-Trichlorobenzene	EPA 524.2, Rev. 4.1	Certified
1,2-Dichlorobenzene	EPA 524.2, Rev. 4.1	Certified
1,2-Dichloroethane	EPA 524.2, Rev. 4.1	Certified
1,2-Dichloropropane	EPA 524.2, Rev. 4.1	Certified
1,4-Dichlorobenzene	EPA 524.2, Rev. 4.1	Certified
2,3,7,8-TCDD (Dioxin)	EPA 1613 B, October 1994	Certified
Alachlor	EPA 525.2, Rev. 2.0	Certified
Aldicarb	EPA 531.1, Rev. 3.1	Certified
Aldicarb Sulfone	EPA 531.1, Rev. 3.1	Certified
Aldicarb Sulfoxide	EPA 531.1, Rev. 3.1	Certified
Antimony	EPA 200.8, Rev. 5.4	Certified
Arsenic	EPA 200.8, Rev. 5.4	Certified
Atrazine	EPA 525.2, Rev. 2.0	Certified
Barium	EPA 200.7, Rev. 4.4	Certified
Barium	EPA 200.8, Rev. 5.4	Certified
Benzene	EPA 524.2, Rev. 4.1	Certified
Benzo(a)pyrene	EPA 525.2, Rev. 2.0	Certified
Beryllium	EPA 200.8, Rev. 5.4	Certified
Bromodichloromethane	EPA 524.2, Rev. 4.1	Certified



Maryland

Department of
the Environment

Larry Hogan, Governor
Boyd K. Rutherford, Lt. Governor

Ben Grumbles, Secretary
Horacio Tablada, Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST


Issued Date: April 10, 2019

Expiration Date: June 30, 2020

Eurofins Lancaster Laboratories Environmental, LLC
2425 New Holland Pike
Lancaster, PA 17601-5994

Duane Luckenbill
MD Lab # 100
EPA ID # PA00009

ANALYTE	METHOD	STATUS
Bromoform	EPA 524.2, Rev. 4.1	Certified
Cadmium	EPA 200.8, Rev. 5.4	Certified
Carbofuran	EPA 531.1, Rev. 3.1	Certified
Carbon Tetrachloride	EPA 524.2, Rev. 4.1	Certified
Chlorobenzene	EPA 524.2, Rev. 4.1	Certified
Chlorodibromomethane	EPA 524.2, Rev. 4.1	Certified
Chloroform	EPA 524.2, Rev. 4.1	Certified
Chromium	EPA 200.7, Rev. 4.4	Certified
Chromium	EPA 200.8, Rev. 5.4	Certified
cis-1,2-Dichloroethene	EPA 524.2, Rev. 4.1	Certified
Copper	EPA 200.7, Rev. 4.4	Certified
Copper	EPA 200.8, Rev. 5.4	Certified
Cyanide	EPA 335.4, Rev. 1.0	Certified
Di(2-ethylhexyl)adipate	EPA 525.2, Rev. 2.0	Certified
Di(2-ethylhexyl)phthalate	EPA 525.2, Rev. 2.0	Certified
Dichloromethane	EPA 524.2, Rev. 4.1	Certified
Endrin	EPA 525.2, Rev. 2.0	Certified
Ethylbenzene	EPA 524.2, Rev. 4.1	Certified
Fluoride	EPA 300.0, Rev. 2.1	Certified
Fluoride	SM 4500 F ⁻ C, 20 th ed.	Certified
Heptachlor	EPA 525.2, Rev. 2.0	Certified
Heptachlor Epoxide	EPA 525.2, Rev. 2.0	Certified



Maryland

Department of
the Environment

Larry Hogan, Governor
Boyd K. Rutherford, Lt. Governor

Ben Grumbles, Secretary
Horacio Tablada, Deputy Secretary

SDWA ANNUAL CERTIFIED PARAMETER LIST

Issued Date: April 10, 2019

Expiration Date: June 30, 2020

Eurofins Lancaster Laboratories Environmental, LLC
2425 New Holland Pike
Lancaster, PA 17601-5994

Duane Luckenbill
MD Lab # 100
EPA ID # PA00009

ANALYTE	METHOD	STATUS
Hexachlorobenzene	EPA 525.2, Rev. 2.0	Certified
Hexachlorocyclopentadiene	EPA 525.2, Rev. 2.0	Certified
Lead	EPA 200.8, Rev. 5.4	Certified
Lindane	EPA 525.2, Rev. 2.0	Certified
Mercury	EPA 245.1, Rev. 3.0	Certified
Methoxychlor	EPA 525.2, Rev. 2.0	Certified
Nitrate	EPA 300.0, Rev. 2.1	Certified
Nitrate	EPA 353.2, Rev. 2.0	Certified
Nitrite	EPA 300.0, Rev. 2.1	Certified
Nitrite	EPA 353.2, Rev. 2.0	Certified
Oxamyl (Vydate)	EPA 531.1, Rev. 3.1	Certified
Selenium	EPA 200.8, Rev. 5.4	Certified
Simazine	EPA 525.2, Rev. 2.0	Certified
Styrene	EPA 524.2, Rev. 4.1	Certified
Tetrachloroethylene	EPA 524.2, Rev. 4.1	Certified
Thallium	EPA 200.8, Rev. 5.4	Certified
Toluene	EPA 524.2, Rev. 4.1	Certified
Total Trihalomethanes	EPA 524.2, Rev. 4.1	Certified
trans-1,2-Dichloroethene	EPA 524.2, Rev. 4.1	Certified
Trichloroethylene	EPA 524.2, Rev. 4.1	Certified
Vinyl Chloride	EPA 524.2, Rev. 4.1	Certified
(total) Xylenes	EPA 524.2, Rev. 4.1	Certified