



COMMONWEALTH of VIRGINIA

Department of General Services

Division of Consolidated Laboratory Services

*600 North 5th Street
Richmond, Virginia 23219-3691
(804) 648-4480
FAX (804) 692-0416*

06/25/2025

Andrew Teague
Eurofins Analytics
10329 Stony Run Lane
Ashland VA 23005

VELAP ID: 460160

Dear Andrew Teague:

The Division of Consolidated Laboratory Services (DCLS) has accredited Eurofins Analytics pursuant to the provisions of 1 VAC30-46 and The NELAC Institute (TNI) 2016 Standard. Certificate number 13559 and the corresponding Scope of Accreditation are enclosed. This certificate expires 03/14/2026. The certificate must be conspicuously displayed in the laboratory along with the associated Scope of Accreditation.

Please note that your laboratory is required to notify the Virginia Environmental Laboratory Accreditation Program (VELAP) in writing of any changes in key accreditation criteria within 30 calendar days of the change per 1 VAC30-46-90 A. This requirement includes changes in ownership, location, key personnel, and major instrumentation.

To maintain accreditation, the laboratory must continue to comply with 1 VAC30-46. This includes ongoing satisfactory proficiency testing. The method checklists used by VELAP in the on-site assessment process are available upon request as a supplement to internal audits.

Please direct all correspondences and questions regarding accreditation to your laboratory's lead assessor, Carla Mccord, at carla.mccord@dgs.virginia.gov or (804) 648-4480 x304.

Sincerely yours,

Cathy Westerman
Manager, Laboratory Certification Program

Enclosures
cc: Cheryl Bowden



**COMMONWEALTH OF VIRGINIA
DEPARTMENT OF GENERAL SERVICES
DIVISION OF CONSOLIDATED LABORATORY SERVICES**



Certifies that

**VA Laboratory ID#: 460160
Eurofins Analytics
10329 Stony Run Lane
Ashland, VA 23005**

Owner: EUROFINS

Responsible Official: CHERYL BOWDEN

Having met the requirements of 1 VAC 30-46 and
having been found compliant with the 2016 TNI Standard approved by The NELAC Institute
is hereby approved as an

Accredited Environmental Laboratory

As more fully described in the attached Scope of Accreditation

Effective Date: June 25, 2025

Expiration Date: March 14, 2026

Certificate # 13559

A handwritten signature in cursive script, reading "Denise M. Toney".

Denise M. Toney, Ph.D., HCLD
DGS Deputy Director for Laboratories

Continued accreditation status depends on successful ongoing participation in the program.
Certificate to be conspicuously displayed at the laboratory.
Not valid unless accompanied by a valid Virginia Environmental Laboratory Accreditation Program (VELAP)
Scope of Accreditation.
Customers are urged to verify the laboratory's current accreditation status.



Commonwealth of Virginia
Department of General Services
Division of Consolidated Laboratory Services



Scope of Accreditation

VELAP Certificate No.: 13559

Eurofins Analytics
10329 Stony Run Lane
Ashland, VA 23005

Virginia Laboratory ID: 460160
Effective Date: June 25, 2025
Expiration Date: March 14, 2026

DRINKING WATER

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 180.1 REV 2	TURBIDITY	VA
EPA 200.7 REV 4.4	BARIUM	VA
EPA 200.7 REV 4.4	CHROMIUM	VA
EPA 200.7 REV 4.4	IRON	VA
EPA 200.7 REV 4.4	MANGANESE	VA
EPA 200.7 REV 4.4	SILVER	VA
EPA 200.7 REV 4.4	ZINC	VA
EPA 200.8 REV 5.4	ANTIMONY	VA
EPA 200.8 REV 5.4	BARIUM	VA
EPA 200.8 REV 5.4	CADMIUM	VA
EPA 200.8 REV 5.4	COPPER	VA
EPA 200.8 REV 5.4	MANGANESE	VA
EPA 200.8 REV 5.4	NICKEL	VA
EPA 200.8 REV 5.4	SILVER	VA
EPA 200.8 REV 5.4	ZINC	VA
EPA 300.0 REV 2.1	CHLORIDE	VA
EPA 300.0 REV 2.1	NITRATE AS N	VA
EPA 300.0 REV 2.1	ORTHOPHOSPHATE AS P	VA
EPA 365.1 REV 2 (AS HACH 8048)	ORTHOPHOSPHATE AS P	VA
SM 2320 B-2021	ALKALINITY AS CaCO ₃	VA
SM 2540 C-2020	RESIDUE-FILTERABLE (TDS)	VA
SM 4500-NO ₂ ⁻ B-2021	NITRITE AS N	VA
SM 4500-NO ₃ ⁻ F-2019 (AS ASTORIA A173)	NITRATE-NITRITE AS N	VA
SM 9223 B COLILERT-18 QUANTI-TRAY (MPN)	ESCHERICHIA COLI (E COLI)	VA
SM 9223 B COLISURE®	ESCHERICHIA COLI (E COLI)	VA

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 200.7 REV 4.4	ALUMINUM	VA
EPA 200.7 REV 4.4	CALCIUM	VA
EPA 200.7 REV 4.4	COPPER	VA
EPA 200.7 REV 4.4	MAGNESIUM	VA
EPA 200.7 REV 4.4	NICKEL	VA
EPA 200.7 REV 4.4	SODIUM	VA
EPA 200.8 REV 5.4	ALUMINUM	VA
EPA 200.8 REV 5.4	ARSENIC	VA
EPA 200.8 REV 5.4	BERYLLIUM	VA
EPA 200.8 REV 5.4	CHROMIUM	VA
EPA 200.8 REV 5.4	LEAD	VA
EPA 200.8 REV 5.4	MERCURY	VA
EPA 200.8 REV 5.4	SELENIUM	VA
EPA 200.8 REV 5.4	THALLIUM	VA
EPA 245.2	MERCURY	VA
EPA 300.0 REV 2.1	FLUORIDE	VA
EPA 300.0 REV 2.1	NITRITE AS N	VA
EPA 300.0 REV 2.1	SULFATE	VA
SM 2120 B-2021	COLOR	VA
SM 2510 B-2021	CONDUCTIVITY	VA
SM 4500-H+ B-2021	PH	VA
SM 4500-NO ₃ ⁻ F-2019	NITRATE AS N	VA
SM 9215 B-2016	HETEROTROPHIC PLATE COUNT	VA
SM 9223 B COLILERT-18 QUANTI-TRAY (MPN)	TOTAL COLIFORMS	VA
SM 9223 B COLISURE®	TOTAL COLIFORMS	VA

NON-POTABLE WATER

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
COLILERT-18 QUANTI-TRAY (MPN)	ESCHERICHIA COLI (E COLI)	VA
ENTEROLERT®	ENTEROCOCCI	VA
EPA 300.0 REV 2.1	FLUORIDE	VA
EPA 300.0 REV 2.1	NITRITE AS N	VA
EPA 300.0 REV 2.1	SULFATE	VA
SM 4500-NO ₂ ⁻ B-2021	NITRITE AS N	VA
SM 4500-NO ₃ ⁻ F-2019 (AS ASTORIA A173)	NITRATE-NITRITE AS N	VA

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
COLILERT-18 QUANTI-TRAY (MPN)	FECAL COLIFORMS	VA
EPA 300.0 REV 2.1	CHLORIDE	VA
EPA 300.0 REV 2.1	NITRATE AS N	VA
EPA 300.0 REV 2.1	ORTHOPHOSPHATE AS P	VA
SM 2120 B-2021	COLOR	VA
SM 4500-NO ₃ ⁻ F-2019	NITRATE AS N	VA
SM 4500-NO ₃ ⁻ F-2019 MINUS SM 4500-NO ₂ ⁻ B-2021 (CALC)	NITRATE AS N	VA

This Scope of Accreditation must accompany the Certificate issued by Virginia DCLS with the same Certificate Number indicated above.



Commonwealth of Virginia
Department of General Services
Division of Consolidated Laboratory Services



Scope of Accreditation

VELAP Certificate No.: 13559

Eurofins Analytics

10329 Stony Run Lane
Ashland, VA 23005

Virginia Laboratory ID: 460160

Effective Date: June 25, 2025

Expiration Date: March 14, 2026

NON-POTABLE WATER

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
SM 4500-P E-2021 (AS HACH 8048)	ORTHOPHOSPHATE AS P	VA
SM 5210 B-2016	CARBONACEOUS BOD (CBOD)	VA

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
SM 5210 B-2016	BIOCHEMICAL OXYGEN DEMAND (BOD)	VA

SOLID AND CHEMICAL MATERIALS

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 3550 C	PREP: ULTRASONIC EXTRACTION	VA
EPA 8082 A	AROCLOR-1221 (PCB-1221)	VA
EPA 8082 A	AROCLOR-1242 (PCB-1242)	VA
EPA 8082 A	AROCLOR-1254 (PCB-1254)	VA
EPA 8270 D	1,2,4-TRICHLOROBENZENE	VA
EPA 8270 D	2,4,5-TRICHLOROPHENOL	VA
EPA 8270 D	2,4-DICHLOROPHENOL	VA
EPA 8270 D	2,4-DINITROPHENOL	VA
EPA 8270 D	2,6-DINITROTOLUENE (2,6-DNT)	VA
EPA 8270 D	2-CHLOROPHENOL	VA
EPA 8270 D	2-METHYLNAPHTHALENE	VA
EPA 8270 D	2-NITROPHENOL	VA
EPA 8270 D	4-CHLORO-3-METHYLPHENOL	VA
EPA 8270 D	4-METHYLPHENOL (P-CRESOL)	VA
EPA 8270 D	ACENAPHTHENE	VA
EPA 8270 D	ANTHRACENE	VA
EPA 8270 D	BENZO(A)PYRENE	VA
EPA 8270 D	BENZO(G,H,I)PERYLENE	VA
EPA 8270 D	BIS(2-CHLOROETHOXY)METHANE	VA
EPA 8270 D	BIS(2-ETHYLHEXYL) PHTHALATE (DI(2-ETHYLHEXYL)PHTHALATE), (DEHP)	VA
EPA 8270 D	CHRYSENE	VA
EPA 8270 D	DI-N-OCTYL PHTHALATE	VA
EPA 8270 D	DIBENZOFURAN	VA
EPA 8270 D	DIMETHYL PHTHALATE	VA
EPA 8270 D	FLUORENE	VA
EPA 8270 D	HEXACHLOROBUTADIENE (1,3-HEXACHLOROBUTADIENE)	VA
EPA 8270 D	HEXACHLOROETHANE	VA
EPA 8270 D	ISOPHORONE	VA
EPA 8270 D	N-NITROSODIPHENYLAMINE	VA
EPA 8270 D	NITROBENZENE	VA
EPA 8270 D	PHENANTHRENE	VA

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 8082 A	AROCLOR-1016 (PCB-1016)	VA
EPA 8082 A	AROCLOR-1232 (PCB-1232)	VA
EPA 8082 A	AROCLOR-1248 (PCB-1248)	VA
EPA 8082 A	AROCLOR-1260 (PCB-1260)	VA
EPA 8270 D	2,2'-OXYBIS(1-CHLOROPROPANE)	VA
EPA 8270 D	2,4,6-TRICHLOROPHENOL	VA
EPA 8270 D	2,4-DIMETHYLPHENOL	VA
EPA 8270 D	2,4-DINITROTOLUENE (2,4-DNT)	VA
EPA 8270 D	2-CHLORONAPHTHALENE	VA
EPA 8270 D	2-METHYL-4,6-DINITROPHENOL (4,6-DINITRO-2-METHYLPHENOL)	VA
EPA 8270 D	2-METHYLPHENOL (O-CRESOL)	VA
EPA 8270 D	4-BROMOPHENYL PHENYL ETHER (BDE-3)	VA
EPA 8270 D	4-CHLOROPHENYL PHENYLETHER	VA
EPA 8270 D	4-NITROPHENOL	VA
EPA 8270 D	ACENAPHTHYLENE	VA
EPA 8270 D	BENZO(A)ANTHRACENE	VA
EPA 8270 D	BENZO(B)FLUORANTHENE	VA
EPA 8270 D	BENZO(K)FLUORANTHENE	VA
EPA 8270 D	BIS(2-CHLOROETHYL) ETHER	VA
EPA 8270 D	BUTYL BENZYL PHTHALATE	VA
EPA 8270 D	DI-N-BUTYL PHTHALATE	VA
EPA 8270 D	DIBENZO(A,H) ANTHRACENE	VA
EPA 8270 D	DIETHYL PHTHALATE	VA
EPA 8270 D	FLUORANTHENE	VA
EPA 8270 D	HEXACHLOROBENZENE	VA
EPA 8270 D	HEXACHLOROCYCLOPENTADIENE	VA
EPA 8270 D	INDENO(1,2,3-CD) PYRENE	VA
EPA 8270 D	N-NITROSODI-N-PROPYLAMINE	VA
EPA 8270 D	NAPHTHALENE	VA
EPA 8270 D	PENTACHLOROPHENOL	VA
EPA 8270 D	PHENOL	VA

This Scope of Accreditation must accompany the Certificate issued by Virginia DCLS with the same Certificate Number indicated above.



Commonwealth of Virginia
Department of General Services
Division of Consolidated Laboratory Services



Scope of Accreditation

VELAP Certificate No.: 13559

Eurofins Analytics
10329 Stony Run Lane
Ashland, VA 23005

Virginia Laboratory ID: 460160
Effective Date: June 25, 2025
Expiration Date: March 14, 2026

SOLID AND CHEMICAL MATERIALS

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>	<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 8270 D	PYRENE	VA			