

Bestillingsseddel

(side 1 af 2)

Faktureringsadresse

Firma: _____
Att.: _____
Adresse: _____

CVR nr.: _____
EAN nr. _____
Tlf. nr.: _____
Rekvissionsnr.: _____

Leveringsadresse

Firma: _____
Att.: _____
Adresse: _____

Bestillingsdato: _____

REFERENCEMATERIALE	ANALYSEPARAMETRE	PAKNING ANTAL AMPULLER/ MÆNGDE		ANFØR ANTAL PAKNINGER	
Spildevand					
QC WW1B	NO ₃ (5 mg/L N) – NH ₄ (1 mg/L N) PO ₄ (0,5 mg/L P)	10 50			
QC WW2.1	NH ₄ (10 mg/L N) – PO ₄ (5 mg/L P)	10 50			
QC WW2.2	NO ₃ (1 mg/L N)	10 50			
QC WW3	TN (7,5 mg/L N) – TP (1,5 mg/L P)	10 50			
QC WW4	COD _{Cr} (500 mg/L O ₂) TOC (NVOC) (200 mg/L C)	10 50			
QC WW4A	COD _{Cr} (50 mg/L O ₂) TOC (NVOC) (20 mg/L C)	10 50			
QC WW5	BOD (200 mg/L O ₂)	10 50			
QC WW6	SS (240 mg/L)	10 50			
QC RW1	NO ₃ (100 µg/L N) – NH ₄ (100 µg/L N) PO ₄ (100 µg/L P)	10 50			
QC RW2	TN (250 µg/L N) – TP (200 µg/L P)	10 50			
KONTROLKORT		1 pk			
KONTROLKORT (genbestilling)		1 pk			
QC METAL LL1	Al-As-Cr-Cu-Mo-Ni-Sn-V-Zn: ppb-niveau	1			
QC METAL LL2	Ag-Ba-Cd-Co-Fe-Mn-Pb-Sb-Se-Sr: ppb-niveau	1			
QC METAL LL3	Hg: ppb-niveau	1			
QC METAL LL3A	Hg: ppb-niveau	1			
QC METAL HL1	Al-Fe-Mn-Pb-Zn: ppm-niveau	1			
QC METAL HL2	Ag-Ba-Cd-Co-Cr-Cu-Ni-Sr: ppm-niveau	1			
METAL Combipack QC METAL LL1 + 2 og HL1 + 2	Se ovenstående: QC METAL LL1, QC METAL LL2, QC METAL HL1, QC METAL HL2	4 x 1			

Bestillingsseddel

(side 2 af 2)

Firma:

Rekvissionsnr.:

REFERENCEMATERIALE	ANALYSEPARAMETRE	PAKNING ANTAL AMPULLER/ MÆNGDE		ANFØR ANTAL	
Fersk recipientvand					
QC RW1	NO ₃ -NH ₄ -PO ₄ : ppb-niveau	10			
		50			
QC RW2	TN – TP: ppb-niveau	10			
		50			
QC WW4A	COD _{Cr} – TOC (NVOC)	10			
		50			
QC METAL LL1	Al-As-Cr-Cu-Mo-Ni-Sn-V-Zn: ppb-niveau	1			
QC METAL LL2	Ag-Ba-Cd-Co-Fe-Mn-Pb-Sb-Se-Sr: ppb-niveau	1			
QC METAL LL3	Hg: ppb-niveau	1			
QC METAL LL3A	Hg: ppb-niveau	1			
Slam					
QC SEWAGE SLUDGE B (domestic origin)	Pb, Cd, Cr, Cu, Hg, Ni, Zn, K, TN, TP, GT	100 g			
QC Organic Components in Municipal Sludge	PAH, DEHP, LAS, NPE	ca. 100 g			
		5 x ca. 100 g			
Endocrine Disruptors in Municipal Sludge	DEHP, NPE				
Jord					
QC LOAM SOIL B	As, Pb, Cd, Cr, Cu, Hg, Ni, Zn, K, GT	200 g			
Drikkevand og grundvandsovervågning					
QC DWB	Na-K-Ca-Mg-Cl-F-SO ₄ -HCO ₃ -X ₂₅ -pH-TS	10			
QC DW4	TOC (NVOC)	10			
		50			
QC METAL LL1	Al-As-Cr-Cu-Mo-Ni-Sn-V-Zn: ppb-niveau	1			
QC METAL LL2	Ag-Ba-Cd-Co-Fe-Mn-Pb-Sb-Se-Sr: ppb-niveau	1			
QC METAL LL3	Hg: ppb-niveau	1			
QC METAL LL3A	Hg: ppb-niveau	1			
Havvand					
QC SW3.1B	NH ₄ -NO ₂ -NO ₂₊₃ -TN: kystvand	10			
QC SW3.2B	PO ₄ -TP-SiO ₄ : kystvand	10			
QC SW4.1B	NH ₄ -NO ₂ -NO ₂₊₃ -TN: havvand	10			
QC SW4.2B	PO ₄ -TP-SiO ₄ : havvand	10			

Bestillingsseddel sendes / faxes til:

Eurofins Miljø A/S

Smedeskovvej 38
8464 Galten

Tel: 70 22 42 66
Fax: 70 22 42 55

E-mail: refmat@eurofins.dk
web: www.eurofins.dk/refmat

(Udgave: 28-sep-2018)