

Regioner**Oversigt over varenummer/analysepakker og emballage til jordprøver**

Varenummer/ pakkenummer	Stofgruppe/ analysepakke	Parameter/ parametre	Leveringstid, Arbejdsdage	Emballage nummer	Emballage, type
CA92B	MIS-forbehandling af jordprøver inden metalanalyser	MIS-forbehandling af jordprøver inden metalanalyser	10	38	1 stk Rilsanpose jord
CAF49	pH	pH	5	38	1 stk Rilsanpose jord
PCAJ0	PID (efter 16 timer)	PID (efter 16 timer)	1	38	1 stk Rilsanpose jord
PCA5L	Cyanid-pakke	Total cyanid, syreflygtigt cyanid	5	38	1 stk Rilsanpose jord
PCA3D	6 Tungmetaller	Bly, cadmium, chrom, kobber, nikkel, zink	5	38	1 stk Rilsanpose jord
PCA3D + hastekode	6 Tungmetaller -hasteanalyse		1	38	1 stk Rilsanpose jord
AAB	6 Tungmetaller + kviksølv	Bly, cadmium, chrom, kobber, nikkel, zink, kviksølv	5	38	1 stk Rilsanpose jord
AAB + hastekode	6 Tungmetaller + kviksølv - hasteanalyse		1	38	1 stk Rilsanpose jord
AAD	6 Tungmetaller + arsen + kviksølv	Bly, cadmium, chrom, kobber, nikkel, zink, arsen, kviksølv	5	38	1 stk Rilsanpose jord
AAD + hastekode	6 Tungmetaller + arsen + kviksølv - hasteanalyse		1	38	1 stk Rilsanpose jord
PCA06	6 Tungmetaller + arsen	Bly, cadmium, chrom, kobber, nikkel, zink, arsen	5	38	1 stk Rilsanpose jord
AAF	Kviksølv	Kviksølv	5	38	1 stk Rilsanpose jord
AAG	Antimon	Antimon	5	38	1 stk Rilsanpose jord
AAH	Arsen	Arsen	5	38	1 stk Rilsanpose jord
AAI	Bly	Bly	5	38	1 stk Rilsanpose jord
CA59V	Chrom (VI) chromat	Chrom (VI) chromat	10	38	1 stk Rilsanpose jord
AAJ	Lithium	Lithium	5	38	1 stk Rilsanpose jord
AAK	Thallium	Thallium	5	38	1 stk Rilsanpose jord
AAL	Tin	Tin	5	38	1 stk Rilsanpose jord
AAM	Aromatiske kulbrinter (BTEXN)	Benzen, toluen, ethylbenzen, xylener, naphthalen, BTEX total	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA3A	Total kulbrinter (fraktioner)	C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA5U	Total kulbrinter (fraktioner) efter florisil-oprensning (fjernelse af de naturlige kulbrinter)	C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA5C	PAH	Fluoranthren, sum af 3 benzfluoranthener (b+j+k), benzo(a)pyren, dibenz(a,h)anthracen, indeno(1,2,3-cd)pyren, sum af PAH (efter MST)	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAN	Total kulbrinter m. BTEXN	C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35, Benzen, toluen, ethylbenzen, xylener, naphthalen, BTEX total	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAN + hastekode	Total kulbrinter m. BTEXN-hasteanalyse		1	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA49	Total kulbrinter + PAH	C6-C10, >C10-C15, >C15-C20, >C20-C35, sum C6-C35, fluoranthren, sum af 3 benzfluoranthener (b+j+k), benzo(a)pyren, dibenz(a,h)anthracen, indeno(1,2,3-cd)pyren, sum af PAH (efter MST)	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAO	Total kulbrinter m. BTEXN + PAH	C6-C10, >C10-C15, >C15-C20, >C20-C35, sum C6-C35, benzen, toluen, ethylbenzen, xylener, naphthalen, BTEX total, fluoranthren, sum af 3 benzfluoranthener (b+j+k), benzo(a)pyren, dibenz(a,h)anthracen, indeno(1,2,3-cd)pyren, sum af PAH (efter MST)	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord

Regioner**Oversigt over varenummer/analysepakker og emballage til jordprøver**

Varenummer/ pakkenummer	Stofgruppe/ analysepakke	Parameter/ parametre	Leveringstid, Arbejdsdage	Emballage nummer	Emballage, type
AAP	Total kulbrinter m. BTEXN + PAH + 6 Tungmetaller	C6-C10, >C10-C15, >C15-C20, >C20-C35, sum C6-C35, benzen, toluen, ethylbenzen, xylener, naphthalen, BTEX total, fluoranthen, sum af 3 benzfluoranthener (b+j+k), benzo(a)pyren, dibenz(a,h)anthracen, indeno(1,2,3-cd)pyren, sum af PAH (efter MST), Pb, Cd, Cr, Cu, Ni, Zn	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAP + hastekode	Total kulbrinter m. BTEXN + PAH + 6 Tungmetaller - hasteanalyse		1	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA3V	Total kulbrinter + PAH + 6 Tungmetaller	C6-C10, >C10-C15, >C15-C20, >C20-C35, sum C6-C35, fluoranthen, sum af 3 benzfluoranthener (b+j+k), benzo(a)pyren, dibenz(a,h)anthracen, indeno(1,2,3-cd)pyren, sum af PAH (efter MST), Pb, Cd, Cr, Cu, Ni, Zn	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA3V + hastekode	Total kulbrinter + PAH + 6 Tungmetaller - hasteanalyse		1	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAQ	PAH + 6 Tungmetaller	Fluoranthen, sum af 3 benzfluoranthener (b+j+k), benzo(a)pyren, dibenz(a,h)anthracen, indeno(1,2,3-cd)pyren, sum af PAH (efter MST), Pb, Cd, Cr, Cu, Ni, Zn	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA5B	Chlorerede opløsningsmidler	Chloroform, 1,1,1-trichlorethan, tetrachlormethan, trichlorethylen, tetrachlorethylen	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA3X	Chlorerede opløsningsmidler m. nedbrydningsprodukter	Chloroform, 1,1,1-trichlorethan, tetrachlormethan, trichlorethylen, tetrachlorethylen, 1,1-dichlorethylen, trans-1,2-dichlorethylen, cis-1,2-dichlorethylen, 1,1-dichlorethan, vinylchlorid	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAR	Chlorerede opløsningsmidler + Total kulbrinter (fraktioner)	Chloroform, 1,1,1-trichlorethan, tetrachlormethan, trichlorethylen, tetrachlorethylen, C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAS	Chlorerede opløsningsmidler + Total kulbrinter (fraktioner) m. BTEXN	Chloroform, 1,1,1-trichlorethan, tetrachlormethan, trichlorethylen, tetrachlorethylen, C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35, benzen, toluen, ethylbenzen, xylener, naphthalen, BTEX total	5	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAT	Chlorerede opløsningsmidler m. nedbrydningsprodukter + Total kulbrinter (fraktioner)	Chloroform, 1,1,1-trichlorethan, tetrachlormethan, trichlorethylen, tetrachlorethylen, 1,1-dichlorethylen, trans-1,2-dichlorethylen, cis-1,2-dichlorethylen, 1,1-dichlorethan, vinylchlorid, C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAU	Chlorerede opløsningsmidler m. nedbrydningsprodukter + Total kulbrinter (fraktioner) m. BTEXN	Chloroform, 1,1,1-trichlorethan, tetrachlormethan, trichlorethylen, tetrachlorethylen, 1,1-dichlorethylen, trans-1,2-dichlorethylen, cis-1,2-dichlorethylen, 1,1-dichlorethan, vinylchlorid, C6-C10, >C10-C15, >C15-C20, >C20-C35, Sum af C6-C35, benzen, toluen, ethylbenzen, xylener, naphthalen, BTEX total	5	2 x 28 + 38	2 stk 100 ml jordglas + 1 stk Rilsanpose jord

Regioner**Oversigt over varenummer/analysepakker og emballage til jordprøver**

Varenummer/ pakkenummer	Stofgruppe/ analysepakke	Parameter/ parametre	Leveringstid, Arbejdsdage	Emballage nummer	Emballage, type
PCA3S	Phenoler	Phenol, 2-methylphenol, 3-methylphenol, 4-methylphenol, 2,3-dimethylphenol, 2,4-dimethylphenol, 2,5-dimethylphenol, 2,6-dimethylphenol, 3,4-dimethylphenol, 3,5-dimethylphenol	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAV	Lille phenolpakke	Phenol, 4-methylphenol, 2,4-dimethylphenol, 2,6-dimethylphenol	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAW	Chlorphenoler	4-chlor-2-methylphenol, 6-chlor-2-methylphenol, 2,4-dichlorphenol, 2,6-dichlorphenol, 2,4,6-trichlorphenol, 2,3,4,6-tetrachlorphenol, pentachlorphenol	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAX	Phenoler og chlorphenoler	Phenol, 2-methylphenol, 3-methylphenol, 4-methylphenol, 2,3-dimethylphenol, 2,4-dimethylphenol, 2,5-dimethylphenol, 2,6-dimethylphenol, 3,4-dimethylphenol, 3,5-dimethylphenol, 4-chlor-2-methylphenol, 6-chlor-2-methylphenol, 2,4-dichlorphenol, 2,6-dichlorphenol, 2,4,6-trichlorphenol, 2,3,4,6-tetrachlorphenol, pentachlorphenol	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA08	PCB	PCB congenere 28, 52, 101, 118, 138, 153, 180, PCB sum af 7 stks.	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAV	Organotin forbindelser	MBT, DBT og TBT	15	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PCA63	Organotin forbindelser inkl. triphenyltin	MBT, DBT og TBT og triphenyltin	15	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
AAZ	Pesticider jordpakke (Landbrug og mastinstationer)	2,6-dichlorbenzamid (BAM), Atrazin, Captan, Dichlobenil, Malathion, Parathion, Parathion-methyl, Simazin, Terbutylazine, Deltamethrin	10	1 x 28 + 2 x 38	1 stk 100 ml jordglas + 3 stk Rilsanpose (Eurofins, Sofia Berlin(kun pose))
ABA	Jordpesticider (gartnerier, planteskoler, frugtplantager, skovbrug)	Aldrin, alfa-cypermethrin, atrazin, captan, captan, cypermethrin, DDD (op' + pp'), DDE (op' + pp'), DDT (op' + pp'), deltamethrin, desethylatrazin (DE-atrazin), desisopropylatrazin (DIP-atrazin), dichlobenil, 2,6-dichlorbenzamid (BAM), dieldrin, endosulfan (I + II), esfenvalerat, fenvalerat, lindan (gamma-HCH), malathion, parathion (parathion-ethyl), parathion-methyl, permethrin, quintozen, simazin, terbutylazin, tetradifon, trifluralin, vinclozolin (Eurofins, Sofia Berlin, IPL, Sverige)	10	2 x 28 + 2 x 38	2 stk 100 ml jordglas + 2 stk Rilsanpose (Eurofins (2 jordglas + 1 pose), Sofia Berlin(1 pose))
ABB	Pesticider, jord, supplerende (ved positiv viden om brug)	Bitertanol, Diazinon, Dichlofluorid, Dicofof, Dodemorph, Fenarimol (Sofia Berlin)	10	2 x 28 + 2 x 38	2 stk 100 ml jordglas + 2 stk Rilsanpose (Sofia Berlin)
ABC	DDT og nedbrydningsprodukter (skovbrug)	op'-DDT, pp'-DDT, op'-DDE, pp'-DDE, op'-DDD, pp'-DDD	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
ABD	DDT og parathion (skovbrug)	op'-DDT, pp'-DDT, parathion	10	28 + 38	1 stk 100 ml jordglas + 1 stk Rilsanpose jord
PLW6Y	PFAS (Perfluor- og Polyfluor-Alkyl Stoffer). Eurofins Sverige. Tidligere ABE	PFOS, PFOA, PFBS, PFNA, PFOSA, PFHXS, PFHXA, PFHPA, PFBA, PFPeA., 6:2 FTS, PFDA, Sum 12 PFAS	15	95	1 stk 500 ml engangs plastflaske med bredt hvidt låg (Sverige)

Regioner**Oversigt over varenummer/analysepakker og emballage til jordprøver**

Varenummer/ pakkenummer	Stofgruppe/ analysepakke	Parameter/ parametre	Leveringstid, Arbejdsdage	Emballage nummer	Emballage, type
ABF	RSD Grindstedpakke	2-methylquinolin, 3-Methoxypropionitril, 4-brom-o-xylene, 5-allyl-5-isopropyl-barbitursyre, 5-Butylbarbiturat, Acetanilid, Acetylsulfaguanidin, Aethallymal, Allobarbitat, Amobarbitat, Barbitat, Barbitursyre, Butabarbitat, Butobarbitat, Butalbital, Diethylmalonat (sum), Hexachlor (lindan), Hexobarbitat, Isopropylbarbitursyre, Methylparaoxybenzoat, Methylurethan, , N-N-diethylnicotinamid, o-chloracetanilid, p-chloracetanilid, Pentobarbitat, Phtalylsulfathiazol, Propylparaoxybenzoat, Secobarbitat, Sulfadiazin, Sulfaguanidin, Sulfamerazin, Sulfamethazin, Sulfanilamid, Sulfathiazol, Tribromphenolvismut. (Eurofins, ALS)	20	3 x 28 + 2 x 38	3 stk 100 ml jordglas + 2 stk Rilsanpose (Eurofins, ALS)
ACM	Bentazon i Jord	Bentazon	20	38	1 stk Rilsanpose jord
Giftige og miljøskadelige prøver uanset analysepakke *	Eks. prøver fra Kærgård, Cheminova, Grindsted mm.		Aftales	Kontakt Lab.	Kontakt Lab. Skal emballeres i ekstra rilsanposer og mærkes med faremærker; Giftig *

*** Giftige og miljøskadelige prøver uanset analysepakke:**

- _ Laboratoriet kontaktes inden udtagning
- _ Faremærker - Giftig - sættes på flasker og køletasker ved udsendelse af emballage fra Eurofins.
- _ Glas og poser kommer i ekstra rilsanpose. Revision og prøver mærkes tydeligt ved transport retur til Eurofins.
- _ Afleveringssted aftales med laboratoriet.