

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

General		Country:		Country:		Country:	
Sub category		Examples of local classification of products in this subcategory		Translation in English		Examples of local classification of products (in local language)	
Category description (Predominant functions)		date: local editor:		date: local editor:		date: local editor:	
		14/03/2005 NVP (Debrue M-Eve)		14/03/2005 NVP (Debrue M-Eve)		23/02/2005 Anette Harbo, FDLF	
		Belgium		Belgium		DENMARK	
Paints for interior matt walls and ceilings; gloss ≤ 25 Units @ 60°	Matt coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss ≤ 25@60°.	Intérieur mat murs et plafonds (brillant ≤ 25 @ 60°) // Matte coatings voor wanden en plafonds (glans ≤ 25@60°)	Paints for interior matt walls and ceilings; gloss ≤ 25 Units @ 60°	Mat væg- og loftsmaling (Glansniveau ≤25@60°)	Paints for interior matt walls and ceilings; gloss ≤ 25 Units @ 60°	Explanation in English	
	a	Alkydharismuurverf/Peinture murale à base de résine alkyde	Alkyd wall paint		Acrylplastykflimmaling	Wall paint based on acrylics, thick-film	
	a	Kwartsverf/peinture au quartz	Quartz paint		Acrylplastvægsmaling	Wall paint based on acrylics	
	a	Peinture acrylique mate - Matte acrylverf	Acrylic paint, matt		Alkydloftmaling	Paints for ceilings based on alkyd	
	a	Peinture acrylique satinée - Zijdeglans acrylverf	Acrylic paint, satin		Alkydloftmaling, vandig, spærrende	Paints for ceilings based on alkyd, aqueous, blocking	
	a	Peinture murale avec effet structure "sable" (peinture structurée) - Muurverf met "zandstructuur" effect (structuurverf) = Category "a", "b", or "c".	Textured wall paint = Category "a", "b", or "c".		Hæftegrunder	Adhesion primer,	
	a	Peinture murale intérieure / Binnenmuurverf	Interior wall paint		Kridering	Structure paint	
	a	Peinture murale latex - Latex muurverf	Latex paint		Limfave	Diatemper	
	a				Loftsmaling, glans < 25	Paint for ceilings with gloss ≤ 25@60°	
	a				Metallic maling	Metallic paint	
	a				Plastkridering	Emulsion structure paint	
	a				Plastloftsmaling	Emulsion paint for ceilings	
	a				Plasmaling, armeret	Emulsion paint, reinforced	
	a				Plastvægsmaling	Emulsion paint for walls	
	a				Plastvævfyllder	Glass fiber filler	
	a				Silikaatgrunder	Silicate primer	
	a				Silikaemaling	Silicate paint	
	a				Strukturmalning	Paint with surface structure,	
	a				Vådumsgrunder	primer for "wet rooms"	
	a				Væg- og loftsmaling, glans < 25	Paints for walls and ceilings with gloss < 25	
	a				Vægsmaling, glans < 25	Wall paint with gloss ≤ 25@60°	
	a						
	a						
	a						
	a						

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	Direction Aff. Techn. FIPEC	19/04/2008	date: local editor:	Country:	Country:	20.09.2004 - 09.10.2008	E. Hering, Vdl. Techn. Comm. Deco
Category description (Predominant functions)		Examples of local classification of products (in local language)		Explanation in English		Examples of local classification of products (in German)		Explanation in English; customary product names often differ from standards	
Paints for interior matt walls and ceilings; gloss ≤ 25 Units @ 60°		Intérieur murs et plafonds (Brillant < 25@60°) "revêtements mats pour murs intérieurs et plafonds" désigne des revêtements destinés à être appliqués sur des murs intérieurs et des plafonds, et qui ont un brillant <= 25@60°.		Various possibilities for expressing matt appearance;		Matte Beschichtungsstoffe für Innenwände und decken (Glanz ≤ 25 Einheiten / 60°-Winkel)		Matt coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss ≤ 25@60°. Various possibilities for expressing matt appearance; some product names based on binders others on substrate or appearance	
	a	Lasure pour béton		Stain for concrete		Deckenfarbe		Ceiling paint	
	a	Peinture minérale pour intérieur		Colorless finish, lasure-like for concrete		Interior wall paint, emulsion based			
	a	Peinture intérieure anti-humidité		Containing siloxane resin as a binder		Dispersionssilikatfarbe		Paint containing organic emulsion and potassium water-glass as a binder	
	a	Peinture laque mate pour intérieur		Anti humidity paint		Einmaldecker-Wandfarben		One-coat-hiding interior wall paint	
	a	Peinture laque satinée pour intérieur		to be filled in by national association		Farbloser Überzug, matt		Colorless finish, matt	
	a			to be filled in by national association					
	a	Peinture mate à l'huile chaulée		Mat paint based on bodied oil / cooked oil, see subcategory "g"		Fullfarbe		High built wall paint	
	a	Peinture monocouche pour intérieur		One-coat-hiding interior wall paint		Innenfarbe für Wände und Decken, matt		Interior wall paints, for walls and ceilings, matt	
	a	Peinture murale intérieure mate		Interior wall paint, matt		Innenwandfarbe, matt		Interior wall paint, matt	
	a	Peinture murale mat/satin à effet métallisé, irisé,nacré,marbré		Deco aspect (metallic, pearlescent...) matt & satin for walls		Innenwandlasur, matt		Lasure for interior walls, matt	
	a	Peinture murale mat/satin à effet pailletant		to be filled in by national association		Latexfarbe, matt		Latex paint, matt	
	a	Peinture satin pour murs et plafonds		to be filled in by national association		Pulverfarbe für innen		Powder for mixing with liquid (esp. water)	
	a	Peintures mates pour murs et plafonds		Interior wall paints, for walls and ceilings, matt		Silikatfarbe, Innensilikatfarbe		Silicate paint, may contain potassium water glass as a binder	
	a	Peinture sans tension type PLOWAY		tension-free is not a special function; if no special performance functions are claimed sub-category "a", "b", or "c"		Silikonharzfarbe		Containing siloxane resin as a binder	
	a	Vernis intérieur mat/satin		Interior varnish mat/satin		Siloxanfarbe		Containing siloxane resin as a binder	
	a					Strukturfarbe, flüssige Raufaser		Paint with surface structure, "liquid woodchip (wall) paper"	
	a					Wandfarbe, matt		(interior) wall paint, matt	
	a								
	a								
	a								
	a								
	a								
	a								
	a								
	a								

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
 Classification of Decorative Coatings
 into Categories for the Directive 2004/42/EC

[illegible]

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date:	1/1/2004	date:	03.03./03.05.2006
Category description (Predominant functions)		local editor:	Rui Coelho, CIN	local editor:	ASEFAP
Sub category	Country:	Examples of local classification of products (in local language)	PORTUGAL Explanation in English	Country:	Examples of local classification of products (in local language)
Paints for interior matt walls and ceilings; gloss ≤ 25 Units @ 60°					
Matt coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss ≤ 25@60°.	Translation of sub-category for users in Portugal in Portuguese requested to be filled in by national association	Paints for interior matt walls and ceilings; gloss ≤ 25 Units @ 60°		Productos mate para interiores: Paredes y techos (brillo ≤ 25@60°)	Matt coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss ≤ 25@60°.
a	Tinta "uma só demão" para paredes em interior	One-coat interior wall paint		pintura mate / semimate / satinada para techos, paredes, muros,	Matt / satin interior ceilings and wall paint,
a	Tinta aquosa à base de dispersões	Emulsion based paint		interior	Interior
a	Tinta de tecos	Paint for ceilings		plástica / sintética / al agua / acrílica	Waterborne/Solventborne
a	Tinta mate para paredes e techos em interior	Interior paint, for wall and ceilings, matt		monocapa	One coat
a	Tinta mate para paredes em interior	Interior wall paint, matt		en emulsión	Emulsion based
a	Tinta plastica para paredes em interiores	Interior Latex paint for wall		coloreada	Coloured
a				al silicato / de latex / siliconada	Silicate, silicone, latex binder
a				con resinas de siloxanos	Siloxane
a				en polvo para mezclar con agua: pasta temple	Powder, to be mixed with water
a				para estucado	For stucco application
a				texturadas : goteiá	Textured
a				impermeabilizante	Water proof / moisture barrier
a				lavable	Washable
a				tixotrópica	Thixotropic
a				antimoho	Mould inhibiting
a				barniz para paredes	Interior wall varnish,.....
a				mate / satinado	Matt/satin
a				incoloro	Colourless
a				esmalte para interiores	Interior enamel for walls anda ceilings,
a				mates / satinado	Matt/Satin
a				alquídico / acrílico	Acrylic/alkyd
a				lasur para interiores mate	Interior matt lasure
a					
a					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

[illegible]

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC						14/03/2005 NVP (Debrue M-Eve)		date: local editor:		23/02/2005 Anette Harbo, FDLF	
General		Country:		Belgium		Country:		Denmark			
Sub category	Category description (Predominant functions)	Examples of local classification of products in this subcategory		Translation in English		Examples of local classification of products (in local language)		Explanation in English			
Paints for interior glossy walls and ceilings: gloss >25 Units @ 60°	Glossy coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss >25@60°.	Intérieur brillant murs et plafonds (Brillant > 25@60 °) // Glanzende coatings voor wanden en plafonds (glans > 25@60°)		Paints for interior glossy walls and ceilings; gloss >25 Units @ 60°		Blank væg- og loftsmaling (Glan sniveau >25@60°)		Paints for interior glossy walls and ceilings; gloss >25 Units @ 60°			
		Metallic muurverf/ peinture murale métallique		Metallic wall paint		Acrylplastvægsmaling		Wall paint based on acrylics			
		Peinture murale avec effet structure "sable" (peinture structurée) - Muurverf met "zandstructuur" effect (structuurverf) = Category "a", "b", or "c". Revêtement brillant pour mur et plafond, intérieur // Glanzende coatings voor wanden en plafonds, binnen		Textured wall paint = Category "a", "b", or "c" Interior coating for walls and ceilings, gloss		Hæftegrunder		Adhesion primer,			
						Loftsmaling med glans > 25		Paint for ceilings with gloss >25			
						Metallic maling		Metallic paint			
						Plastvægsmaling		Emulsion paint for walls			
						Silikatgrunder		Silicate primer			
						Strukturmalning		Paint with surface structure,			
						Vådramsgrunder		Primer for "wet rooms"			
						Vådramsmaling		Bathroom paint			
						Væg- og loftsmaling med glans > 25		Paint for walls and ceilings with gloss > 25			
						Vægsmaling, med glans > 25		Wall paint with gloss > 25			

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	26/05/2009 AVISA Cristina Bocca, Boero Bartolomeo	date: local editor:	1/03/2009 Gerrit Jonkers, VVVF, Kvdk, BcH
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products (in Italian)	ITALY Explanation in English	Country: Examples of local classification of products (in local language)	(THE) NETHERLANDS Explanation in English
Paints for interior glossy walls and ceilings; gloss >25 Units @ 60°	Glossy coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss >25@60°.	Pitture lucide per pareti e soffitti interni (gloss >25@60°) (dropiture e smalti murali)	Paints for interior glossy walls and ceilings; gloss >25 Units @ 60° Interior (not only waterborne!) paints and enamels for walls	Matte verven voor binnenmuren en binnenwanden en plafonds. Verven ontwikkeld voor binnen toepassing op muren, wanden en plafonds met een glans >25@60°.	Coatings designed for application to indoor walls and ceilings with a degree of gloss >25@60°.
b		Bucciato lucido	(Interior) gloss wall paints orange peel	Binnen muurverven	Interior wall paints
b		Smalti murali	(Interior) gloss wall paints (enamels)		Wall paint with double hiding power
b				Dubbeldekkende muurverf voor binnen Kwartsverf	Quartz paint
b				Latex muurverf	Latex wall paint
b				Latexverf	Latex paint
b				Metallic muurverf	Metallic wall paint
b				Silikaatverf	Silicate paint **
b				Silikaatmuurverf	Silicate wallpaint
b				Siloxaan muurverf	Siloxane wall paint *
b					
b					
b					* Containing siloxane resin as a binder
b					** Containing potassium silicate as a binder
b					
b					
b					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	1/1/2004 Rui Coelho, CIN	date: local editor:	03.03./08.05.2006 Rui Coelho, CIN ASEF API
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products (in local language)	PORTUGAL Explanation in English	Country: Ejemplos de las denominaciones locales típicas de los productos (en Español)	SPAIN Examples of local classification of products (in local language)
Paints for interior glossy walls and ceilings; gloss >25 Units @ 60°	Glossy coatings for interior walls and ceilings; coatings designed for application to indoor walls and ceilings with a degree of gloss >25@60°.	Translation of sub-category for users in Portugal in Portuguese requested to be filled in by national association	Paints for interior glossy walls and ceilings; gloss >25 Units @ 60°	Productos brillantes para interiores: paredes y techos (brillo>25a60°)	Glossy coatings for interior walls and ceilings: coatings designed for application to indoor walls and ceilings with a degree of gloss >25@60°.
b		Esmalte acetinado para paredes	Silky enamel for walls	pintura brillante / semibrillante / satinada para techos, paredes, muros.....	Interior gloss/semigloss/satin walls and ceiling paint.
b		Esmalte brilhante para paredes	Gloss wall enamel	de acabado liso / de acabado rugoso	Smooth/textured finish
b		Metallizados	Metallic paints	plástica / sintética / vinílica / acrílica	Emulsion/Aquid/Vinyl/Acrylic Paint
b		Tinta acetinada para paredes e tectos em interior	Silky wall and ceiling paint for interior	coloreada de alto brilho / transparentes	High gloss coloured/clear
b		Tinta acetinada para paredes em interior	Silky wall paint for interior	em emulsão	Waterborne
b		Tinta brilhante para paredes e tectos em interior	(Interior) gloss wall and ceiling paint	de latex	Latex based
b		Tinta brilhante para paredes em interior	(Interior) gloss wall paint	em pólvora para mezclar con líquido (temple)	Powder, to be mixed with water
b		Tinta plastica acetinada para paredes em interior	Latex silky gloss paint for walls in interior	texturadas (gotelás, estucados, etc)	Textured
b		Tinta plastica brilhante para paredes em interior	Latex gloss paint for interior	con efectos metálicos, iridiscentes, nacarados, efectos marmol	Metallic, iridescent/pearlescent, marbled Effects
b				esmalte.....	Enamel for walls and ceilings.....
b				brilhante alquídico	Glossy Alkyd
b					
b				barniz para paredes	Interior wall varnish
b				lasures para interior de acabado brilhante	Interior gloss lasure
b				veladura brilhante / satinada para interiores	Gloss/satin glaze
b					
b					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

General		date: local editor:	14/03/2005 NVP (Debrue M-Eve)	date: local editor:	23/02/2005 Anette Harbo, FDLF	date: local editor:
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products in this subcategory	Translation in English	Country: Examples of local classification of products (in local language)	Explanation in English	Country: Examples of local classification of products (in local language)
Paints for exterior walls of mineral substrate	Coatings designed for application to outdoor walls of e. g. masonry, renderings, brick, or stucco. If a product of this sub-category is also recommended for interior use it has to be assigned to sub-category a or b	Extérieur murs support minéral // Buitenmuren met minerale ondergrond	Paints for exterior walls of mineral substrate	Overfladebeholdingsmidler til mineralske flader udendørs	Paints for exterior walls of mineral substrate	Extérieur murs support minéral ou parois façade revêtements pour murs extérieurs, supports minéraux» désigne des revêtements destinés à être appliqués sur des murs extérieurs de maçonnerie, de briques ou de stuc. Couche intermédiaire à base de liant minéral
c		Beitlonbeilts / laure pour béton	Stain for concrete	Acrylplastfacademaling	Paints for facades based on acrylics	Finition transparente pour maçonneries extérieures
c		Metallic muurverf/ peinture murale métallique	Metallic wall paint	Cementpulvermaling	Concrete powder paint	Lasure pour béton
c		Peinture acrylique pour les ardoises et les tuiles - acrylaatverf voor kunstleien en dakpannen	Acrylic paint for slates and (roof) tiles	Facademaling	Facade paint	
c		Peinture élastique pour façade pour cimentage fendu et béton - Elastische gevelverf voor gebarsten cementeerwerk en voor beton	Flexible exterior wallpaints for cracked cement and concrete.	Haeftegrunder	Adhesion primer,	Peinture à la chaux pour Façades
c		Peinture murale avec effet structure "sable" - Muurverf met "zandstructuur" effect = Category "a", "b", or "c".	Textured wall paint = Category "a", "b", or "c"	Murmaling	Outdoor wall paint	Peinture de façade
c		Peinture pour façades - Gevelverf	Facade paint or Exterior wallpaints	Olieemulsionsfacademaling	Oil emulsion facade paint	Peinture de protection pour béton extérieur
c		Strucuurdeisters/Enduits décoratifs structures out of the scope ?	Textured decorative filler out of the scope ?	Plastfacademaling	Facade emulsion paint	Peinture Façade "Piolite"
c		Vernis pour murs extérieurs - Vernis voor buitenmuren	Varnish for exterior walls	Siilkaigrunder	Silicate primer	Peinture murale pour extérieur
c				Siilkamaling	Silicate paint	Peinture silicone pour façades (couche épaisse)
c				Siikonefacademaling	Silicone facade paint	Peinture siloxane
c				Siikoneemaling, vandig	Silicone paint, waterborne	Peintures à liant minéral
c				Strukturumaling	Paint with surface structure,	Peintures acryliques pour extérieur
c						Peintures de Façades films minces (classe D2)
c						Revêtement de façade
c						Revêtements de façades réticulables UV
c						Revêtements organiques de Façades (classe D3)
c						Sous couche gommisante pour façade
c						
c						
c						
c						
c						
c						
c						
c						

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		19/04/2005	date: local editor:	20.09.2004 - 09.10.2006	date: local editor:	26/05/2005
Category description (Predominant functions)		Direction Aff. Techn. FIPEC	Country: Examples of local classification of products (in German) Es werden brandenübliche, oft nicht den Normen entsprechende Produktbezeichnungen genannt.		Country: Examples of local classification of products (in Italian)	
Sub category		FRANCE Explanation in English	GERMANY Explanation in English; customary product names often differ from standards		ITALY Explanation in English	
Paints for exterior walls of mineral substrate	Coatings designed for application to outdoor walls of e. g. masonry, renderings, brick, or stucco. If a product of this sub-category is also recommended for interior use it has to be assigned to sub-category a or b	Paints for exterior walls of mineral substrate	Beschichtungstoffe für Außenwände aus mineralischen Baustoffen Coatings designed for application to outdoor walls of e. g. masonry, renderings, brick, or stucco. Various possibilities for expressing appearance; some product names based on binders others on substrate or appearance	Pittura per pareti esterne di supporto minerale Pittura e rivestimenti (a varia granulometria) acriliche, silossaniche, ai silicati, ai silicati in dispersione, idropitture. Pitture in emulsione a base di larina di quarzo.	Paints for exterior walls of mineral substrate Acrylic, siloxane, silicate, dispersion silicate paints and coatings (with different granulometry). Waterborne paints. Quartz based emulsion paints.	
c		Mid-coat containing siloxane binder	Außenwandfarbe	Façade paint, exterior wall paint, outdoor wall paint	Acrylic paints	
c		Colorless finish, high sheen/gloss	Betonlackur	Colorless finish, lasure-like for concrete	Textured finishes	
c		Colorless finish, lasure-like for concrete	Betonenschutz, Betonenschutzbeschichtungsstoff, Betonfarbe	Concrete protection paint, Concrete paint	Quartz paints	
c		Containing lime as a binder	Betonversiegelung	Concrete sealing paint	Paints containing lime as a binder	
c		Façade paint, exterior wall paint, outdoor wall paint	Dachsteinbeschichtung	Roof tile coating (concrete tiles)	Paints containing pigllote resin as a binder	
c		Concrete protection paint	Dispersionsfarbe für außen; Dispersionslackfarbe für mineralische Untergründe, außen	Emulsion paint for exterior use; emulsion enamels for exterior use on mineral substrates	UV curing acrylic paints	
c		Containing Pigllote resin as a binder	Dispersionsilikatfarbe	Paint containing organic emulsion and potassium water-glass as a binder (name according to special (co-)binder)	Concrete protection paints	
c		Façade paint	Farbloser Überzug, glänzend	Colorless finish, high sheen/gloss	Silicate paints	
c		High build exterior paint, high water vapour permeability	Fassadenbeschichtung	Façade coating	Siloxane paints	
c		Containing siloxane resin as a binder	Fassadenfarbe	Façade paint		
c		Containing potassium water-glass as a binder	Fuller (als Zwischenbeschichtung)	High build mid coat		
c		Acrylic exterior paint	Fullerfarbe	High build exterior top coat		
c		Façade coatings (class D2)	Housepaint, auch auf mineralischem Untergrund	House Paint, universal use on various substrates including mineral substrates		
c		Façade coating	Kalkfarbe	Paint, containing lime as a binder, (name according to special (co-) binder)		
c		UV curing acrylic paint	Mineralfarbe	Mineral paint: too general, needs more details		
c		Façades organic coatings (class D3)	Mineralschlämme	Equalizing mineral paint		
c		High build mid coat	Pulverfarbe für aussen Rissüberbrückende Fassadenfarbe	Powder for mixing with liquid (esp. water) Crack-bridging lapade paint		
c			SIL-Farben für außen	High build exterior paint, high water vapour permeability		
c			Silikatfarbe, Ausensilikatfarbe	Silicate paint, containing potassium water-glass as a binder		
c			Silikonharzfarbe	Containing siloxane resin as a binder		
c			Siloxanfarbe	Containing siloxane resin as a binder		
c			Strukturausgleichende Zwischenbeschichtung	Equalizing mid-coat		
c						
c						

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

		date: local editor:	103/2005 Gerit Jonkers, VWF: Kwik B&H	date: local editor:	1/11/2004 Rui Coelho, CIN	date: local editor:
General		Country: PORTUGAL				
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products (in local language)	Explanation in English	Country: Examples of local classification of products (in local language)	Explanation in English	Country: Ejemplos de las denominaciones locales típicas de los productos (en Español)
Paints for exterior walls of mineral substrate	Coatings designed for application to outdoor walls of e. g. masonry, renderings, brick, or stucco.	Muurverven voor buitenmuren Verven voor buitenmuren met minerale ondergrond; gemetselde bakstenen of pleisterwerk	Coatings designed for application to outdoor walls of e. g. masonry, renderings, brick, or stucco.			Productos para paredes exteriores de sustrato mineral
C	If a product of this sub-category is also recommended for interior use it has to be assigned to sub-category a or b	Beitovverf	Concrete protection paint		Paints for exterior walls of mineral substrate	pintura para fachadas y muros
C		Buiten muurverf	Wall paint for exterior use, outdoor wall paint		Elastomeric paint	mates / satinada
C		Kwartverf	Quartz paint		Elastomeric textured paint	plástica / acrílica / minerales (a la cal) / al silicato / siliconada / a base de resinas acrílicas en solución / basada en resinas de siloxano
C		Latex muurverf voor buiten	Latex wall paint for outdoor		Metalized	fdoreicuitable
C		Metallic muurverf	Metallic wall paint		Tinta á base de cal	elástica
C		Muurverf voor buiten	Wall paint for exterior use, outdoor wall paint		Tinta baseada em organosilicatos	de acabado liso / de acabado rugoso / texturadas
C		Scheuroverbruggende verf	Crack bridging wall paint		Tinta baseada em plicite	permeable
C		Silikaatverf	Silicate paint		Paint containing siloxane resin as a binder	monocapa
C		Siloxaan muurverf	Containing siloxane resin as a binder		Paint based on modified polysiloxanes	pintura para hormigón
C		Vorstrijkmiddel	Primer		Silicate paint	para la protección del hormigón
C					Flexible paint	acabados para hormigón (veladuras)
C					Impermeabilizante	acabado transparente para hormigón
C					Exterior paint	pintura para cemento
C					Façade paint	pintura para tejas
C					Concrete protection paint	bariz satinado / brillante
C					Facade protection paint	caucho sintético
C					Latex paint with silica	capas intermedias
C					Latex paint for exterior	pintura impermeabilizante / antigoteras / hidrologente / con alta permeabilidad al vapor de agua
C					Textured paint	
C					Fine textured paint	
C					Flexible textured paint	
C					Textured impermeabilizante	
C						
C						

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

CEPE Technical Committee Decorative Paints
CEPE Guidelines - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC											
Sub category	General category description (Pre-Denmark functions)	Country: Belgium		Country: Denmark		Country: France		Country: Germany			
		date: local editor:	Translation in English	date: local editor:	Explanation in English	date: local editor:	Explanation in English	date: local editor:	Explanation in English		
Examples of local classification of products in this subcategory		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)		Examples of local classification of products (in German)		Examples of local classification of products (in German)			
Interior/exterior trim for wood and metal	Coatings designed for application to trim and cladding which produce an opaque film. These coatings are designed for either a wood, metal and/or a plastic substrate. This subcategory includes undercoats and intermediate coatings.	Peintures intérieures/extérieures pour finitions et bardages bois ou métal / Houe- en metaalverven voor binnen- en buitendeckering en voor interieur en gevelbekleding	Interior/exterior trim and cladding paints for wood and metal	Malings til træværk og metalbæklædning indendørs/udendørs	Interior/exterior trim and cladding paints for wood and metal	Peintures intérieures / extérieures pour finitions et bardages bois, métal ou plastique / revêtements de finition et de bardage dans le bois, le métal ou le plastique. Cette sous-catégorie comprend les sous-couches et les revêtements intermédiaires.	Peintures intérieures / extérieures pour finitions et bardages bois, métal ou plastique / revêtements de finition et de bardage dans le bois, le métal ou le plastique. Cette sous-catégorie comprend les sous-couches et les revêtements intermédiaires.	Peintures intérieures / extérieures pour finitions et bardages bois, métal ou plastique / revêtements de finition et de bardage dans le bois, le métal ou le plastique. Cette sous-catégorie comprend les sous-couches et les revêtements intermédiaires.	Peintures intérieures / extérieures pour finitions et bardages bois, métal ou plastique / revêtements de finition et de bardage dans le bois, le métal ou le plastique. Cette sous-catégorie comprend les sous-couches et les revêtements intermédiaires.		
		Couche de fond pour bois / Grondslag voor hout	Prime coat for wood	Acrylskærmelag	Topcoat based on acrylic	Apprêt et sous-couche ponçable à séchage rapide	(Rapid) sanding primer and mid-coat	Bordlack	Colored trim paint		
		Couche de fond pour plastique / Grondslag voor kunststof	Prime coat for plastic	Acrydemalje	Topcoat based on alkyd	Apprêt ponçable à séchage rapide	(Rapid) sanding mid-coat	Decklack	Top coat, opaque paint		
		Couche de fond, couche intermédiaire et couche de finition (système à-couche) / belent / Zelfopbouw (systeem) (intermediate and finishing layers system) (depoetsysteem)	Prime coat, mid-coat and top coat (2 coats system) (one packaging), gloss	Alkydgrunder	Primer based on alkyd	Impression universelle	Universal primer without special claims	Dispersionsschlämme	Emulsion based enamel or trim paint		
		Couche de fond, couche intermédiaire et couche de finition (système à-couche) / belent / Zelfopbouw (systeem) (intermediate and finishing layers system) (depoetsysteem)	Prime coat, mid-coat and top coat (2 coats system) (one packaging), satin	Alkydgrunder, vanding	Primer based on alkyd, waterborne	Peinture à effet craquelé	Cracking effect paint	Eggelasergrunderung	Base coat, equalizing appearance		
		Enduit pour application à la brosse - peinture pour bois / Enduit pour application à la brosse - peinture pour bois / Enduit pour application à la brosse - peinture pour bois	Filler applied by brush	Alkydemaling	Paint based on alkyd	Peinture de finition marbrée (sans antioxydant)	Hammered topcoat (without antioxydant)	Emallack	Enamel (not viscous enamel)		
		Hybride et émulsion alkyde, laque alkyde hard extrême / Hybrid and alkyd emulsion, high solids alkyd enamel (if for wall then a b)	Hybrid and alkyd emulsion, high solids alkyd enamel (if for wall then a b)	Alkydemallemaling	Intermediate coat based on alkyd	Peinture métallique à effet perlé	Metallic paint with leaping effect	Fenstergund- und Grundbeschichtung für Holzfenster	Primer for windows (wood)		
		Acrylique en émulsion alkyde, laque alkyde hard extrême / Acrylic emulsion, high solids alkyd enamel (if for wall then a b)	Acrylic emulsion, high solids alkyd enamel (if for wall then a b)	Alkydemallemaling	Paint based on alkyd	Peinture à effet métallique, perlé / métallique, perlé	Two aspect (metallic, pearlescent...) for wood, metal, plastic...	Fensterlack	Paint for windows		
		Laque brillante acrylique - Acrylak glanslak	Acrylic enamel, gloss	Alkydemallemaling, vanding	Base coat and intermediate-coat for wood and metal	Peinture à usage enduit de sous-couche	Mid-coat only	Flüssiggrundstoff	Liquid plastic		
		Laque intérie - Lak binnenbuiten	PU enamel, matt	Grund- og mellemmalning	Adhesion primer	Peinture d'apprêt pour bois/métal/plastique	Primer used as base-coat and mid-coat	Füller (als Grund und/oder Zwischenbeschichtung)	Liq. filler used as base-coat and mid-coat		
				</							

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

Sub category	General Category description (Predominant functions)	Country: Belgium			Country: Denmark			Country: FRANCE		
		Examples of local classification of products in this subcategory	Translation in English	date: local editor: 14/03/2005 WP (Debrue M-Eva)	Examples of local classification of products (in local language)	date: local editor: 23/02/2005 Anette Harbo, FDE	Explanation in English	Examples of local classification of products (in local language)	date: local editor: 19/04/2008 Direction Aff. Techn. FIEC	Explanation in English
e	Interior/exterior film varnishes and wood stains, including opaque wood stains (film thickness ≥ 5 µm)	Vernis et lasure intérieure opaque pour finitions, y compris lasure opaque « vernis et lasure intérieure opaque pour finitions » désigne les revêtements destinés à être appliqués sur les menuiseries de finition afin d'obtenir un film transparent ou semi-transparent à des fins décoratives ou protectrices sur le bois, le métal ou le plastique. Les lasure opaque désignent des revêtements qui forment un film opaque pour la décoration et la protection du bois contre les intempéries, telles que définies par la norme EN 927-1, catégorie semi-stable	Interior/exterior film varnishes and wood stains, including opaque wood stains (film thickness ≥ 5 µm)		Lak og træbeskyttelse til bygningsele indendørs og udendørs, herunder dækkende træbeskyttelse	Interior/exterior film varnishes and wood stains, including opaque wood stains (film thickness ≥ 5 µm)	Interior/exterior film varnishes and wood stains, including opaque wood stains (film thickness ≥ 5 µm)	Vernis et lasure intérieur / extérieur pour finitions, y compris lasure opaque « vernis et lasure intérieure opaque pour finitions » désigne les revêtements destinés à être appliqués sur les menuiseries de finition afin d'obtenir un film transparent ou semi-transparent à des fins décoratives ou protectrices sur le bois, le métal ou le plastique. Les lasure opaque désignent des revêtements qui forment un film opaque pour la décoration et la protection du bois contre les intempéries, telles que définies par la norme EN 927-1, catégorie semi-stable		Interior/exterior film varnishes and wood stains, including opaque wood stains (film thickness ≥ 5 µm)
e		Couche de fond incolore - Kleurloze grondlaag	Colorless primer coat		Acrylak	Acrylic varnish	Acrylic varnish	Finition transparente mate ; Vernis de finition mat (pour métal/bois/plastique)		Colorless finish, matt varnish for wood, metal/plastic
e		Dekkende bels/ lasure opaque	opaque stain		Alkydgrunder	Primer based on alkyd	Primer based on alkyd	Lasure bois		Correct, but too general, needs more details
e		Hulle de bois transparente pour menuiseries - kleurlod houtverdelingsolie voor schriftwerk= out of scope as it is meant for furniture.	Colorless wood oil		Alkydgrunder, vandig	Primer based on alkyd, waterborne	Primer based on alkyd, waterborne	Lasure de protection couvrante /opaque		Thick film or thin film; for products containing chemical wood preservatives: regulation also by Biocidal Products Regulation
e		Lasure - lasure	Stain		Alkyd	Alkyd varnish	Alkyd varnish	Lasure d'imprégnation		Impregnation wood stain
e		Lasure semi-opaque - halfdækkende houtverdelingsolie	Semi-opaque stain		Alkydtræbeskyttelse	Wood stain based on alkyd	Wood stain based on alkyd	Impregnation and top coat wood stain		Thixotropic wood stain
e		Protection de bois, tentée transparente - transparent gekleurde houtverdelingsolie	Tinted transparent wood protection		Bladlak	Yacht varnish (if intended use is for buildings or their components)	Yacht varnish (if intended use is for buildings or their components)	Lasure gélifiée		
e		Teinture - Heurbeets = if no information it is out of scope.	Colored stain		Dækkende træbeskyttelse	Opaque stain	Opaque stain	Lasure haut extrait sec		High build lasure / wood stain
e		Vernis acrylique mat de finition / Acrylaat alverklingsvernis, matte	Acrylic finishing varnish, matt		Halvdækkende træbeskyttelse	Semi-opaque wood stain, semi-transparent ... not for stable wood substrate (Category "d")	Semi-opaque wood stain, semi-transparent ... not for stable wood substrate (Category "d")	Lasure monocouche		One coat woodstain
e		Vernis anti-griffes - Kravaste vernis	Interior stain		Interlak	Interior varnish	Interior varnish	Lasure opaque		Opaque stain
e		Vernis brillant, mat et satiné / Glans, matte en zijdeglanzende (satijn) vernis	Scratch resisting varnish Varnish, gloss, matt and satin		Træbeskyttelse	All kinds of wood stains including the "old fashioned" very thin types	All kinds of wood stains including the "old fashioned" very thin types	Lasure semi-transparente		Semi-opaque wood stain, semi-transparent
e		Vernis de finition - Alverklingsvernis	Topcoat varnish		Transparent træbeskyttelse	Wood stains, transparent	Wood stains, transparent	Lasure transparente		Translucent coating
e		Vernis de protection - Beschermingsvernis	Protective varnish		Urethanalkydlak	Urethane alkyd lacquer	Urethane alkyd lacquer	Vernis		Also for substrates other than wood
e		Vernis décoratif - Decoratieve houtvernis	Decorative woodvarnish					Vernis Bois		Varnish for wood
e		Voorstrijk-impressie	Primer sealer					Vernis cuisine et salle de bain (pour métal/bois/plastique)		Interior varnish for kitchens and bathrooms
e								Vernis de finition		Also for substrates other than wood
e								Vernis décoratif (pour métal/bois/plastique)		Enhancing varnish (wood, metal,plastic)
e								Vernis extérieur		Exterior varnish
e								verniss intérieure/extérieure brillant / satin/mat		Interior/Exterior varnish (mat,satin,gloss)
e								Vernis marin		Marine coatings: only if claimed for buildings or building components
e								Vernis monocouche (pour métal/bois/plastique)		One layer varnish (wood,metal,plastic)

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General

Sub category
Category description
(Predominant functions)

e	Interior/exterior rim varnishes and wood stains, including opaque wood stains (film thickness ≥ 5 µm)	Coatings designed for application to trim which produce a transparent or semi-transparent film for decoration and protection of wood, metal and plastics. This subcategory includes opaque wood stains. Opaque woodstains means coatings producing an opaque film for the decoration and protection of wood, against weathering, as defined in EN 927-1 within the semi-stable category.	Klarlacke und Holzlasuren für Gebäude und Bauteile (innen und außen), einschließlich "deckender Holzlasuren" (Trockenfilmdicke ≥ 5 µm)	Coatings designed for application to trim which produce a transparent or semi-transparent film for decoration and protection of wood, metal and plastics. This subcategory includes opaque wood stains. Opaque woodstains means coatings producing an opaque film for the decoration and protection of wood, against weathering, as defined in EN 927-1 within the semi-stable category.	Germany E. Häfing, VOL Techn. Comm. Deco	20/09/2004 - 09/10/2008 date: local editor:	Italy AVISA Cristina Bocca, Bono Barbolomeo	26/05/2005 date: local editor:	10/3/2009 date: local editor: Gerrit Jobbers, WVF, KdK, EdB
e		CEPE Technical Committee Decorative Paints: If an opaque wood stain is claimed for other products than for wood it is a product of sub category "4"; if substrates (joinery, windows, doors) it is a product of category "0".	Compactlasure	High, medium, low build lasure / wood stain	Finiture a effetto cera	Wax effect finishes	Transparent stain		
e			Deckende Lasure	Opaque wood stain, visible wood structure/profile	Impregnanti opachi per legno	Opaque woodstains	Beltsverf		
e			Dickschichtlasure	Translucent coating, thick layer	Impregnanti per legno per intemolestemo	Interior/exterior woodstains	Blanke grondlak		
e			Dünnschichtlasure	Translucent coating, thin layer	Impregnanti semitransparenti	Semitransparent woodstains	Blanke lak		
e			Ein-Topf-Lasure	One coating material for all layers	Vernici polimeriche	Polyurethane varnishes	Deckende belts		
e			Holzgel	Translucent coating / gel	Vernici trasparenti e colorate	Clear and coloured varnishes	Lakken voor hout		
e			Holzlasur	Correct, but too general, needs more details			Transparente alack		
e			Holzschutzlasur, dick-, mittel- oder dünn-schichtig; inklusive (ggf. pigmenthaltige) RAL-GZ 830 Lasuren	Wood stains and varnishes: Thick/medium/thin film, including RAL-GZ 830 quality label wood stains (may contain pigments)			Transparente belts		
e			Holzleget	Wood sealer			Transparente grondlak		
e			Impignierlasur, filmbildende 5 µm	Impregnating lasure, film forming 5 µm, can also be in sub Categ. F if below 5 µm Caution: For this type of product the German DIN 18363 (Standard on Painting Jobs) and the BPS Instructions No. 16 refer to a single component system, which may result in a dry film thickness below 5 µm.			Transparente lak (grondlak, primer etc.)		
e			Klarlack	Clearcoat also for substrates other than wood			Transparente voorlak		
e			Mediumlasure	Medium build lasure/wood stain			Vernis		
e			Semiopaque/halbdeckende Lasure, halbttransparente Lasure	Semi-opaque wood stain, semi-transparent					
e			Thincoptre Lasure	Theotropic lasure/translucent coating					
e			Überzugslack	Varnish, also for substrates other than wood					
e			Versiegelung	Not word by word: wear resistant layer					
e									
e									
e									
e									
e									

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC					23/02/2005 Anette Harbo, FDLF	
General		Country:		Country:		
Category description (Predominant functions)		Belgium		Denmark		
Examples of local classification of products in this subcategory		Translation in English		Examples of local classification of products (in local language)		
Sub category						
Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film)	Woodstains which, in accordance with EN 927 - 1: 1996, have a mean thickness of less than 5 µm when tested according to ISO 2808: 1997, method 5A	Lasures à épaisseur de film minimale Intérieur extérieur // Houtbeitsen met minimale laagdikte voor binnen en buiten		Træbeskyttelse med minimal lagtykkelse Indendørs/udendørs		
	(EN 927-1 refers to film build, therefore the coating thickness is measured for the total coating system on wood)	Huile de bois - Houtolie= questionable if this if a filmforming product		Grundingsmiddel mod råd og svamp, pigmenteret*		
Oils and waxes are borderline cases: depending on film formation		Sous-couche préventive du bois - Preventieve grondlaag van hout		Grundingsmiddel mod råd og svamp, vandig, pigmenteret		
		Teinture pour bois - houtbeits		Grundingsolie, pigmenteret*		
		Traitement pour boiserries de jardin - Houtbescherming voor tuinhout		Grundingsolie, vandig, pigmenteret*		
				Træolie		
				Træolie, vandig		
				Transparent træbeskyttelse*		

		date: local editor:	Direction Aff. Techn. FIPEC	19/04/2005	date: local editor:	20.09.2004 - 09.10.2006	date: local editor:
		Country:	FRANCE	GERMANY	Country:		
		Examples of local classification of products (in local language)	Explanation in English	Examples of local classification of products (in German)	Explanation in English;		
					customary product names often differ from standards		
f	Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film)	Lasures pénétrantes intérieur / extérieur	Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film) Attention in the official French translation of the document 2004/42/EC there is an error "minimal build woodstains" is translated as non-film forming woodstains. Check English version of the Directive.	Minimal flimblidende Holzlasuren für innen und außen, Trockenfilmdicke unter 5 µm, aber flimblidend	Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film) (EN 927-1 refers to film build, therefore the coating thickness is measured for the total coating system on wood)	Impregnanti non filmogeni per legno (per interni ed esterni) Impregnanti propriamente detti (spessore < 5 µm) ma formanti un film	Examples of local classification of products (in Italian)
		Lasure de protection du bois	Minimum film build; only for products containing chemical wood preservatives; regulation by Biocidal Products Directive!	Holz-Beize	Real wood stain, (if film forming)	Impregnanti per legno	
f	Lasure d'imprégnation (pénétrante)		Impregnating lasure	Holzlasur (zu allgemein)	Correct, but too general, needs more details		
f	Lasures d'entretien, de rénovation		Refreshing finish, maintenance finish	Holzschutzlasur; inklusive (ggf. pigmenthaltige) RAL-GZ 830 Lasuren	Minimum film build wood stains/varnishes; including RAL-GZ 830 quality label wood stains (may contain pigments)		
f	Protection incolore Terrasse		Colourless protection for terraces	Holzsigel	"Sealing" of wood		
f	Teinte pour bois		Real wood stain, (only if film forming)	Imprägnierlasur Achtung: DIN 18363 und BFS-Merkblatt Nr. 18 beziehen sich bei "Imprägnierlasur" nur auf einen einmaligen Auftrag mit einer Trockenschichtdicke von < 5 µm..	Impregnating lasure; can also be in sub category "e" Caution: For this type of product the German DIN 18363 (Standard on Painting Jobs) and the BFS Instructions No. 18 refer to a single application/layer only, resulting in a dry film thickness below 5 µm.		
f	Vernis dissolusion du bois (contre les exsudations)		Sealing and insulating for wood, minimal film build	Imprägnierung	Impregnation (if film forming)		
f				Öle, Holzpflegedle, Wachse, Polituren (nur wenn flimblidend)	Oils, waxes, polishes (only if film forming), see annex "out of scope"		
f				Pflegemilch, flimblidend	Refreshing finish, maintenance finish, film forming		
f							
f							

CEPE Technical
CEPE Guideline

Classification of CEPE into Categories		26/05/2005	date: local editor:	1/03/2005	date: local editor:	1/11/2004
		AVISA Cristina Bocca, Boero Bartolomeo	Gerrit Jonkers, VVVF, Kvdk, Bdt		Rui Coelho, CIN	
ITALY		(THE) NETHERLANDS		PORTUGAL		
Explanation in English		Explanation in English		Explanation in English		
Examples of local classification of products (in local language)		Examples of local classification of products (in local language)		Country: Examples of local classification of products (in local language)		
Sub category						
Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film)		Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film)	Houtbeitsen met minimale laagdikte voor binnen en buit	Woodstains which, in accordance with EN 927 - 1:1996, have a mean thickness less than 5µm when tested according to ISO 2808: 1997, method 5A.	Translation of sub-category for users in Portugal in Portuguese requested to be filled in by national association	Interior and exterior minimal build wood stains (film thickness < 5 µm, but forming a film)
	f	Real woodstains (film thickness < 5 µm, but forming a film)				
	Wood stains		Belts (minimal film build)	Lasure, minimum film build	Impregnante para madeiras	Impregnante for wood
f			Impregneer belts	Transparent or clear impregnant	Produto para preservação e protecção da madeira	Product for preservation and protection of the wood
f			Impregnerende primer	Transparent or clear impregnant	Protector de madeira	Wood protector
f					Velatura	Stain
f					Velatura transparente	Transparent stain
f						
f					Verniz decorativo	Decorative varnish
f						
f						
f						
f						

CEPE Technical
CEPE Guideline

Classification of
into Categories

		date: local editor:	03.03./08.05.2008 Timo Eklund, ASEFAP	date: local editor:	17/09/2004 Anna Melväs, SVEFF	date: local editor:
		Country:	SPAIN	Country:	SWEDEN	Country:
		Examples of local classification of products (in local language)	Examples of local classification of products (in local language)	Explanation in English		Examples of local classification of products (in local language)
Sub category		Ejemplos de las denominaciones locales típicas de los productos (en Español)	Examples of local classification of products (in local language)			
f	Interior and exterior minimal build wood stains (film thickness < 5 µm, but for film)	Asures interiores/exteriores de espesor mínimo	Woodstains which, in accordance with EN 927 - 1: 1996, have a mean thickness of less than 5 µm when tested according to ISO 2808: 1997, method 5A	Lasyr, olja eller bets i tunt skikt för inomhus- och utomhusbruk		Woodstains which, in accordance with EN 927 - 1: 1996, have a mean thickness of less than 5 µm when tested according to ISO 2808: 1997, method 5A.
f		lasur / impregiante.....	Impregnating lasure.....	Golvolja		Decking stain
f		penetrante	Wood penetration	Grundolja (utan skydd mot blåmål, mögel eller röta)		Fence treatment
f		de sistema de poro abierto regulado por la Directiva de biocidas, tanto coloreado como transparente	Open pore systems defined by the Biocide Directive both clear and coloured.	Träbets		Landscaping stains
f		tintes para madera formadores de película	wood stains	Träolja		Minimal build woodstains
f						Shed and fence treatment
f						
f						Wood-dyes
f						Wood wash
f						Woodstains
f						
f						
f						

Classification of into Categories		05.08.2005/24.08.2008 Stephen Davies, Hugh Williams BCF
Sub categ ory	Explanation in English	UNITED KINGDOM
f	Interior and exterior minimal build up stains (film thickness < 5 µm, but for film)	Does not include teak oil, danish oil, decking oil or furniture oil unless they form a film. Wood wash included as it does not need a special tool. All the coatings listed would fall under category e if applied at greater thickness.
f	Decking stain	
f	Fence treatment	
f	Landscaping stains	
f	Minimal build woodstains	
f	Shed and fence treatment, depending on coating thickness, see "e"	
f	Wood-dyes, if not film forming	
f	Wood wash	
f	Woodstains	
f		
f		

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		Country:		Direction Aff. Techn. FIPEC		date:		date:		20.09.2004 - 09.10.2006	
Category description (Predominant functions)		Examples of local classification of products (in local language)		Explanation in English		Country:		Examples of local classification of products (in German)		Explanation in English;	
Sub category		date:		local editor:		date:		local editor:		E. Häring, Vdl. Techn. Comm. Deco	
g	Primers	Impressions		Primers		Absperrende Grundbeschichtungsstoffe		Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings;		this category contains functional products; standard primers are assigned to the relevant top coat categories	
		Impression durcissante		Sealing primer		Isolierfarbe		Stain isolation properties			
		Impression isolante bois/murs/façade		to be filled in by national association		Isolierfarbe, Isolierung		Stain isolation properties			
		Impression opacifiante isolante		to be filled in by national association		Isoliergrundierung (deckend oder translucent)		Isolating primer, stain blocking primer (hiding or translucent)			
		Peintures mates à l'huile chaulée		isolating mat paint, based on bodied oil / cooked oil; (only if claimed as an isolating/stain blocking primer or coating), see subcategory "a"		Nikotinsperre		Isolation against Nicotine (better: against tobacco tar)			
		Primaire d'isolation		(Stain) blocking primer		Pilotite-Farbe mit ausgeblotter Sperwirkung		Assigned to subcategory g if the sealing/stain blocking function is claimed, containing Pilotite resin as a binder			
		Primaire pour isolation des fonds (surface minérale et bois)		Stain isolation properties		Primer (zu allgemeine Bezeichnung)		"Primer" as such is too general, has to be specified			
		Bouches-pores		Pore filling primer, primer avoiding penetration, if it is a liquid applied by brush, roller, and/or spray gun		Sperrgrund		Isolating primer, stain blocking primer			

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	26/05/2005 AVISA Cristina Bocca, Boro Bartolomei	date: local editor:	1/03/2005 Gerrit Jonkers, VVVF-KvdK, BcH
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products (in Italian)	ITALY Explanation in English	Country: Examples of local classification of products (in local language)	(THE) NETHERLANDS Explanation in English
g <i>Primers</i>	Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings.	Primer Fondi, fissativi, impregnanti per muri e per legno. I prodotti intermedi non rientrano in questa sottocategoria ma in quella delle pitture.	Primers Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings. Base-coats, fixatives, walls and wood stains. Intermediate-coat products are not enclosed in this sub-category, but in the ones for paints or varnishes.	Primers Primers, verven en coatings met afslachtende en/of blokkerende eigenschappen voor hout of muren en plafonds.	Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings.
		Pitture isolanti opache	Isolating mat paints	Isoleergrond	Isolating primer, stain blocking primer
g		Primer acrilici	Acrylic primers *	Isolerende grondverf	Isolating primer, stain blocking primer
g		Primer alcali-resistenti	Alkali-resisting primers	Isolerende muurverf	Isolating wall paint, stain blocking wall paint
g		Primer isolanti	Isolating primers, stain blocking primers	Isolerende primer	Isolating primer, stain blocking primer
g		Primer multisuperficie	Multi-surface primers *	Sealer	Sealer *
g		Primer multuso	Multi-purpose primers *	Voorstrijkmiddel	Sealer *
g		Primer per legno	Wood primers *		
g		Primer sigillanti	Sealing primers		
g			* Only if sealing or blocking properties are claimed		* Only if sealing or blocking properties are claimed
g					
g					
g					
g					
g					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	1/1/2004 Rui Coelho, CIN	date: local editor:	03.03./08.05.2008 Luisa Guilhermina ASEFAP
Country:		PORTUGAL		SPAIN	
Sub category	Category description (Predominant functions)	Examples of local classification of products (in local language)	Explanation in English	Exemplos de las denominaciones locales típicas de los productos (en Español)	Examples of local classification of products (in local language)
g	Primers		Translation of sub-category for users in Portugal in Portuguese requested to be filled in by national association	Imprimaciones	Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings.
g		Primario anti-alkalino	Anti-alkaline Primer	Impresión.....	Primer.....
g		Primario antitaninos	Isolating against nicotine	aislante	isolating
g		Primario isolante /antimanchas	Isolating primer / stain sealer	antimanchas	antistain
g		Primario para madeira	Primer for wood *	antimicolina	antimicrobial
g		Primario selante	Sealer	antihumedad	moisture barrier
g		Primario subcapa	Base coat *	antisalitre	saltpetre protection
g		Selante	Sealer	tapaporos	wood filler, pore filling primer, primer avoiding penetration
g			* Only if sealing or blocking properties are claimed	selladoras para homigón	sealant for concrete
g					
g					
g					
g					
g					
g					
g					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	17/09/2004 Anna Melväs, SVEFF	date: local editor:	05.08.2005/24.08.2006 Stephen Davies, Hugh Williams BCF
Country:		Country:		Country:	
Category description (Predominant functions)		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)	
Sub category		Explanation in English		Explanation in English	
g	Primers	Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings.	Isolerande grundfärg	Primers Coatings with sealing and/or blocking properties designed for use on wood or walls and ceilings.	Primers This category contains functional products; standard primers are assigned to the relevant top coat categories; products require overcoating
g				Primers/primer undercoats	Primers/primer undercoats, only if specific sealing or blocking properties are claimed
g				Alkali-resisting primers and primer sealers	Alkali-resisting primers and primer sealers
g				Aluminium wood primers	Aluminium wood primers
g				Knotting solution, knotting primer	Knotting solution (if film forming and providing stain blocking properties); see also "h"
g				Multi-purpose primers	Multi-purpose primers, only if specific sealing or blocking properties are claimed
g				Multi-surface primers	Multi-surface primers, only if specific sealing or blocking properties are claimed
g				Plaster primers	Plaster primers
g				Quick-drying wood primers/undercoats (if sealing or stain blocking)	Quick-drying wood primers/undercoats (if sealing or stain blocking)
g				Sanding sealers	Sanding sealers
g				Sealing primers	Sealing primers
g				Stain sealers	Stain sealers
g				Stain stop paints	Stain stop paints
g				Universal and all purpose primers	Universal and all purpose primers, only if specific sealing or blocking properties are claimed
g				Wood primers	Wood primers, only if specific sealing or blocking properties are claimed
g					
g					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		Country: FRANCE		Country: GERMANY	
Sub category	Category description (Predominant functions)	Examples of local classification of products (in local language)	Explanation in English	Examples of local classification of products (in German)	Explanation in English;
					customary product names often differ from standards
h	Binding primers	Impressions fixatrices «impressions fixatrices» désigne les revêtements destinés à stabiliser les particules de support libres ou à conférer des propriétés hydrophobes et/ou à protéger le bois contre le bleuissement.	Binding primers Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.	Verfestigende Grundbeschichtungsstoffe (zur Verfestigung loser Substratpartikel oder zur Erzeugung wasserabweisender Eigenschaften und/oder zum Schutz des Holzes vor Bläupilzbefall)	Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain; this category contains functional products; standard primers or base coats are assigned to the relevant top coat categories
		If a product comes under the Directive 2004/42/EC it makes no difference if it is also regulated by the Biocidal Products Directive or not.	Fixateur de fonds	Binding/solidifying primer	Bläueschutzgrundierung; inklusive RAL-GZ 830 Bläueschutzgrundierungen und UBA-registrierte Bläueschutzgrundierungen
h		Fixateur de fonds pour pierre	Solidifying primer (for stone)	Fixativ	Binding/solidifying primer
h		Fond dur pour bois	Clear hardener/primer for woods	Imprägniergrund	Binding/solidifying primer
h		Impression pénétrante	Binding/solidifying primer	Putzgrund	Primer on rendering
h		Lasure primaire anti-bleu (contient des biocides)	Minimum film build; only for products containing chemical wood preservatives against Blue Stain; regulation by Biocidal Products Directive! Should be applied as primer!	Tauchgrundierung, Fluggrundierung mit oder ohne biocide Wirkstoff	Solidifying dipping primer or flooding primer, with or without biocidal activity
h		Primaire de préservation du bois	Wood protection primer	Tiefgrund	Binding/solidifying primer
h		Primaire d'imprégnation	Binding/solidifying primer	Verfestigende Grundierung	Solidifying primer
h		Primaire d'imprégnation à base de silicate	Solidifying primer, silicate	Verfestigende Grundierung mit oder ohne Bläueschutz	Minimum film build primer, with or without biocide; can be a wood preservative; for products containing chemical wood preservatives (e.g. against Blue Stain)
h		Primaire sur enduit	Primer on rendering	Verfestigender Primer	Solidifying primer
h		Produits hydrofuges	Water-repellent product (only if film forming)	Verfestiger, Steinverfestiger	Solidifying primer (... for stone)
h		Sous-couche plaque de plâtre	Mid-coat for plasters	Verkieselungsmittel	Solidifying primer, silicate
h		Stabilisateur de fonds	Solidifying primer		
h					
h					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	26/05/2009 AVISA Cristina Bocca, Boero Bartolomeo	date: local editor:	1/03/2009 Gerrit Jonkers, VVVF:KvdK, BcH
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products (in Italian)	ITALY Explanation in English	Country: Examples of local classification of products (in local language)	(THE) NETHERLANDS Explanation in English
h <i>Binding primers</i>	Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.	Primer fissativi Fissativi/riconsolidanti per superfici polverose, stannanti, ecc.	Binding primers Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain Binding primers for powdering, chalking surfaces, etc. Binding/solidifying primers	Hechprimers Verven of coatings voor het stabiliseren van losse deeltjes van de ondergrond, voor het waterafstotend maken en/of voor het beschermen van hout tegen het verblauwen.	Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.
h	If a product comes under the Directive 2004/42/EC it makes no difference if it is also regulated by the Biocidal Products Directive or not.	Primer fissativi/solidificanti		Fixeer	Fixation agent; binding/solidifying primer
h		Primer suintonaci	Primer on rendering	Fixeermiddel	Fixation agent; binding/solidifying primer
h		Primer/indurenti trasparenti per legno	Clear hardener/primer for wood	Fixerende vloercoating	Impregnating, binding floor coating
h		Prodotti idrorepellenti (solo se formanti un film)	Water-repellent products (only if film forming)	Hydrofobiermiddel	Hydrophobing primer
h				Hydrofobieringsmiddel	Hydrophobation agent
h				Impregnerende grondverf	Impregnating opaque primer
h					
h					
h					
h					
h					
h					
h					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	1/1/2004 Rui Coelho, CIN	date: local editor:	03.03./08.05.2008 Luisa Escalante, ASEFAP
Country:		PORTUGAL		SPAIN	
Sub category	Category description (Predominant functions)	Examples of local classification of products (in local language)	Explanation in English	Ejemplos de las denominaciones locales típicas de los productos (en Español)	Examples of local classification of products (in local language)
h	Binding primers	Coatings designed to stabilise loose particles or impart hydrophobic properties and/or to protect wood against blue stain.	Binding primers Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.	Imprimaciones consolidantes	Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.
		If a product comes under the Directive 2004/42/EC it makes no difference if it is also regulated by the Biocidal Products Directive or not.	Hidroflugante	Imprimación.....	Primer.....
h			Preservador de madeira	para obra / piedra	for masonry / stone
h			Primario estabilizante	fixadora	binding coat
h			Primeros fixadores	reparadora	repair
h				penetrante	penetrating
h				con o sin aditivos antimoho anti-azulado	with or without fungi preservative additive Anti-blue stain
h				selladoras para hormigón	Sealer for concrete
h				Fixadora para hormigón	concrete binding primer
h					
h					
h					
h					
h					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	17/09/2004 Anna Melväs, SVEFF	date: local editor:	05.08.2005/24.08.2006 Stephen Davies, Hugh Williams BCF
Country:		Country:		Country:	
Sub category		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)	
Category description (Predominant functions)		Explanation in English		Explanation in English	
h	Binding primers	Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.	Bindande grundfärg	Binding primers Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.	Coatings designed to stabilise loose substrate particles or impart hydrophobic properties and/or to protect wood against blue stain.
		If a product comes under the Directive 2004/42/EC it makes no difference if it is also regulated by the Biocidal Products Directive or not.	Grundfärg för mineraliska underlag	Concrete sealants Binding/solidifying primers	Concrete sealants
h			Häftande grundfärg	Adhesion primer	Knotting solution/primer; if film forming and if stabilizing claim made
h			Impregneringsolja	Wood preserving primer	Masonry stabiliser
h			Träskydd	Wood preserving primer	Patio and block paving coatings
h					Preservative primers
h					'Protection against blue-stain'
h					Quick-drying wood primers/undercoats (if stabilising or other function: hydrophobic or biocidal)
h					Stabilising primers
h					Stabilising solutions
h					
h					
h					
h					
h					

CEPE Technical Committee Decorative Paints

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC									
Sub-category	General Category description (Pre-dominant functions)	Country: Examples of local classification of products in this category	Translation in English	Belgium (14/03/2008)	Denmark (23/02/2008)	France (19/04/2008)	Germany (20.08.2004 - 08.10.2005)		
		Country: Examples of local classification of products in this category	Translation in English	Belgium (14/03/2008)	Denmark (23/02/2008)	France (19/04/2008)	Germany (20.08.2004 - 08.10.2005)		
I One-pack performance coatings	Performance coatings based on film-forming materials. They are designed for applications requiring a special performance, such as primer as zinc and aluminum, anti-corrosion coatings as zinc and aluminum, anti-corrosion coatings for wood and cement, and hygiene standards in the food or drink industry (see Claims/special functions)	Revêtements mono-composants à fonction spéciale / Performance en-component coatings	One-pack performance coatings						
		Anti-graffi	Anti-graffi paint						
		Brandverende vernieuw / peinture anti-feu							
		Couche spéciale anticorrosion PVC - Spéciale peinture anti-PVC							
		Laque de finition pour radiateurs - Afwerkgelak							
		Minim aluminium - Roestwerende metaal							
		Peinture acrylo-uréthane pour sols - Acrylal-urethaan verf voor vloeren							
		Peinture antirouille - Roestwerende verf							
		Peinture mastic contre le défilé de labeur / Murets et planché bloqué (tr) = when primer and slantblocking cat g, when general wall paint cat a, b, paint cat a, b.							
		Peinture résistante à l'eau, aux acides et aux alcalis - Water- en alkali-bestendige verf							
		Primaire anti-rouille - Roestwerende primer							
		Primer d'accrochage pour métaux non ferreux - hechtinglak voor non-ferro metalen							
		Produit d'étanchéité - Waterdichte producten							
		Protection sol - Vloer bescherming							
		Universelle hochprimier primäre Grundierung universale							
		Vernis de protection pour métaux non ferreux pour revêtement - beschermingsvernis voor non-ferro metalen							
		Vernis de renforcement et d'impregnation / Impregnerlack							
		Nerms parquets - Parketvernis							
		Vitrificateur pour parquet - Verglazer voor parket							
		Moeuvrel peinture pour sol							

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

[illegible]

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	Direction Aff. Techn. FIPEC	19/04/2008	date: local editor:	Country:	Country:	20.09.2004 - 09.10.2008 E. Häring, Vdl. Techn. Comm. Deco
Sub category	Category description (Predominant functions)	Examples of local classification of products (in local language)	Explanation in English	FRANCE	GERMANY	Examples of local classification of products (in German)	Explanation in English;	
							customary product names often differ from standards	
j	Two-pack reactive performance coatings for specific end use such as floors	Coatings with the same use as one-performance coatings, but with a second (chemically reactive) component (e.g. tertiary amines) added prior to application.	«revêtements bicomposants à fonction spéciale» désigne des revêtements destinés aux mêmes usages que les précédents, avec un second composant (par exemple, des amines tertiaires) ajouté avant application.	Two-pack reactive performance coatings for specific end use such as floors	Zweikomponenten-Speziallacke	Beschichtungsstoffe für die gleichen Zwecke wie Einkomponenten-Speziallacke; vor der Anwendung wird eine zweite Komponente (als Härter, z.B. chemisch reaktives Amin) zugegeben	Coatings with the same use as one-performance coatings, but with a second (chemically reactive) component (e.g. amines or isocyanates) added prior to application.	
j		Peinture anticorrosion bi-composant		Two-pack anti-corrosion paint	2K- "Deckleget"		Two-pack parquet top coat/sealer	
j		Peinture polyuréthane bi-composant		Two-pack colored coating		2-K-Fussbodenbeschichtung	Two-pack floor coating	
j		Peinture polyuréthane isolante pour bois bi-composant		Two-pack sealer for wood		2K-Grundsiegel	Two-pack parquet base coat/sealer	
j		Peinture pour parquets bi-composant		Two-pack parquet coating		2-K-Klarlack, Versiegelung, Finish	Two-pack clearcoat, "sealing", varnish, finish	
j		Peinture pour sols bi-composant		Two-pack floor coating		2-Komponenten-Hochleistungsbeschichtung für spezielle Anwendungen wie zum Beispiel:	Two-pack performance coating	
j		Primaire bi-composant		Two-pack performance primer		2-Komponenten-Primer	Two-pack performance primer	
j		Primaire époxy bicomposant		Epoxi-Primer		2-K-Parkettlack	Two-pack parquet coating	
j		Protection anti-graffiti bi-composant		Anti-lag protective coating or varnish		2-K-PUR-Buntlack	Two-pack PUR colored coating	
j		Revêtement époxy bicomposant pour sols		Epoxi-floor coating		2-K-PUR-Decklack, 2-K-Decklack	Two-pack PUR colored coating opaque (PUR or other)	
j		Revêtement haute performance bi-composant		Two-pack performance coating		2-K-PUR-Holzleget	Two-pack PUR sealer for wood	
j		Revêtement Polyuréthane bi-composant		Two-pack colored coating opaque (PUR or other)		2-K-Rostschutzlack, Korrosionsschutzlack	Two-pack anti-corrosion paint	
j		Vernis, vitrificateur bi-composant		Two-pack clearcoat, sealing, varnish, finish		Epoxi-Bodenbeschichtung	Epoxi-floor coating	
j						Epoxi-Primer	Epoxi-Primer	
j								
j								

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date:	1/1/2004	date:	03.03./08.05.2006
Category description (Predominant functions)		local editor:	Rui Coelho, CIN	local editor:	Associação ASEPAPI
Sub category	Country:	Examples of local classification of products (in local language)	Explanation in English	Country:	Examples of local classification of products (in local language)
Two-pack reactive performance coatings for specific end use such as floors	Translation of sub-category for users in Portugal in Portuguese requested to be filled in by national association		Two-pack reactive performance coatings for specific end use such as floors		
	Coatings with the same use as one-performance coatings, but with a second (chemically reactive) component (e.g. tertiary amines) added prior to application.				Coatings with the same use as one-performance coatings, but with a second (chemically reactive) component (e.g. tertiary amines) added prior to application.
j	Esmalte poliuretano		PUR enamel		Paint / Primer / Varnish / Enamel.....
j	Primario de 2 componentes		Two-pack primer		for floor coatings
j	Primario de poliuretano		PUR primer		to concrete protection
j	Primario epoxi		Epoxi primer		for metal / anticorrosive
j	Primario epoxi tolerante de superfie		Surface tolerante epoxi primer		for plastic
j	Tinta de dois componentes		Two-pack paint		for parquet
j	Tinta epoxi		Epoxi paint		for wood
j	Tinta epoxi para pavimentos		Epoxi floor coating		Special products.....
j	Verniz anti-grafti		Antigrifti varnish		Fire resistant / Intumescent
j	Verniz de 2 componentes		Two-pack varnish		Hygenic
j	Verniz soalhos 2 componentes		Two-pack floor varnish		Anti-grafti
j	Wash primer		Washprimer		undercoat sealer
j					Adhesion promoter primer
j					
j					
j					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	17/09/2004 Anna Melväs, SVEFF	date: local editor:	05.08.2005/24.08.2006 Stephen Davies, Hugh Williams BCF
Country:		Country:		Country:	
Category description (Predominant functions)		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)	
Sub category		Country: SWEDEN		Country: UNITED KINGDOM	
j	Two-pack reactive performance coatings for specific end use such as floors	Coatings with the same use as one-performance coatings, but with a second (chemically reactive) component (e.g. tertiary amines) added prior to application.	Tvåkomponentfärg för särskilda applikationer, till exempel golv	Coatings with the same use as one-performance coatings, but with a second (chemically reactive) component (e.g. tertiary amines) added prior to application.	Two-pack reactive performance coatings for specific end use such as floors
			Tvåkomponent golvfärg	Adhesion promoting primers	Adhesion promoting primers
			Tvåkomponent golvlack	Anti-graffiti paints and glazes	Anti-graffiti paints and glazes
			Tvåkomponent rostskyddsfärg	Clear lacquers, if claimed for difficult substrates	Clear lacquers, if claimed for difficult substrates e.g. reactive metals such as brass
				Etch primers (2 pack)	Etch primers (2 pack)
				Flame retardant and intumescent coatings, including top coats	Flame retardant and intumescent coatings, including top coats
				Floor paints	Floor paints
				Floor sealers	Floor sealers
				Heat resisting paints	Heat resisting paints
				High performance coatings, e.g. 2-pack epoxies, polyurethanes and polysiloxanes	High performance coatings, e.g. 2-pack epoxies, polyurethanes and polysiloxanes
				Line marking paints (internal use)	Coatings with special use for marking out sports halls, museums, etc., applied on top of floor coatings which are i) or j)
				Non-slip coatings	Non-slip coatings
				Solar reflective paints	Solar reflective paints, keeping the temperature of the surface down, including roofs
				Ultra-grip coatings	Ultra-grip coatings

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

CEPE Technical Committee Decorative Paints CEPE Guideline - Annex A Classification of Decorative Coatings into Categories for the Directive 2004/42/EC		14/03/2008 NVP (Debrue M-Eve)		23/02/2005 Anette Harbo, FDLF	
General		Belgium		DENMARK	
Sub category	Category description (Predominant functions)	Country: Examples of local classification of products in this subcategory	Country: Examples of local classification of products (in local language)	Explanation in English	
k Multi-coloured coatings	Coatings designed to give a two-tone or multiple-colour effect, directly from the primary application.	Revlègements multicolores // Meerkleurige coatings	Fierfarvede overfladebehandlingsmidler	Multi-coloured coatings	
	Metallic, pearlescent and micaceous effects are not considered as multicolours but as color shades in the relevant product categories	Meerkleurige muurverf/Peinture murale multicolore Multicolor	Fierfarvet maling Fierfarvevægsmaling	Multicoloured coatings Multicoloured coatings	
k					
k					
k					
k					
k					
k					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	19/04/2008 Direction Aff. Techn. FIPEC	date: local editor:	20.09.2004 - 09.10.2006 E. Hering, Vdl. Techn. Comm. Deco
Country:		Country:		Country:	
Sub category	Category description (Predominant functions)	Examples of local classification of products (in local language)	Explanation in English	Examples of local classification of products (in German) Es werden branchenübliche, oft nicht den Normen entsprechende Produktbezeichnungen genannt	Explanation in English; customary product names often differ from standards
k	Multi-coloured coatings	Revêtements multicolores «revêtements multicolores» désigne les revêtements permettant d'obtenir directement, dès la première application, un effet bi- ou multicolore.	Multi-coloured coatings	Multicolorbeschichtungsstoffe zur Erzielung eines Zwei- oder Mehrfarbeneffektes direkt bei der ersten Anwendung, auch bei Kombination von zwei oder mehreren Schichten	Coatings designed to give a two-tons or multiple-colour effect, directly from the primary application; even when two or more layers are applied
		Peinture à effet multicolore	Multicoloured coatings	Mehrfarbenefekt	Multicoloured coatings
		Peintures à effets spéciaux multicolor	Special multicoloured paints	Multicolorfarben	Multicoloured coatings
		Revêtement, peinture multicolore	Multicoloured coatings		
		Vernis contenant des particules multicolores	Multicoloured varnish		
k					
k					
k					
k					
k					
k					

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC				date: local editor:		26/05/2009 AVISA Cristina Bocca, Boero Bartolomeo		date: local editor:		Gerrit Jonkers, VVVF; KvdK, BcH 1/03/2009		
General		Country:		Country:		Country:		Country:		(THE) NETHERLANDS		
Sub category	Category description (Predominant functions)	Examples of local classification of products (in Italian)	Examples of local classification of products (in local language)	Explanation in English	Explanation in English	Explanation in English	Explanation in English	Explanation in English	Explanation in English	Explanation in English	Explanation in English	
k	Multi-coloured coatings	Coatings designed to give a two-tone or multiple-colour effect, directly from the primary application.	Pittura multicolori	Multi-coloured coatings	Multi-coloured coatings	Meerkleuren muurverf, Meerkleurige muurverf	Multi color verven, meerkleuren coatings Coatings waarmee in een laag twee- of meerkleurig effect wordt verkregen.	Coatings designed to give a two-tone or multiple-colour effect, directly from the primary application.				
k	Metallic, pearlescent and nacreous effects are not considered as multicolours but as color shades in the relevant product categories		Pittura multicolore	Multi-coloured paints		Meerkleuren muurverf, Meerkleurige muurverf	Multi color wall paint					
k			Vernici multicolore	Multi-coloured varnishes		Multicolor verf	Multi color paint					
k						Multicolors	Multi colour coating					
k												
k												
k												
k												
k												

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

General		date: local editor:	1/1/2004 Rui Coelho, CIN	date: local editor:	03.03/08.05.2008 Ana Cristina, ASEFAP
Country:		PORTUGAL		SPAIN	
Sub category	Category description (Predominant functions)	Examples of local classification of products (in local language)	Explanation in English	Country: Ejemplos de las denominaciones locales típicas de los productos (en Español)	Examples of local classification of products (in local language)
k	Multi-coloured coatings	Translation of sub-category for users in Portugal in Portuguese requested to be filled in by national association	Multi-coloured coatings	Recubrimientos multicolor	Coatings designed to give a two-tone or multiple-colour effect, directly from the primary application.
	k	Coatings designed to give a two-tone or multiple-colour effect, directly from the primary application.		pintura de efecto forja	Micaceous iron oxide paint (forge effect)
	k	Metallic, pearlescent and micaceous effects are not considered as multicolours but as color shades in the relevant product categories		pintura o barniz de efectos perlescentes/nacarados	Pearlescent effect, paint or varnish
	k			pintura o barniz multicolor	Multicolour paint or varnish
	k				
	k				

CEPE Technical Committee Decorative Paints
CEPE Guideline - Annex A
Classification of Decorative Coatings
into Categories for the Directive 2004/42/EC

Classification of Decorative Coatings into Categories for the Directive 2004/42/EC				date: local editor:		17/09/2004 Anna Melväs, SVEFF		date: local editor:		05.08.2005/24.08.2006 Stephen Davies, Hugh Williams BCF	
General				Country:		Country:		Country:		Country:	
Sub category		Category description (Predominant functions)		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)		Examples of local classification of products (in local language)	
k	Multi-coloured coatings	Coatings designed to give a two-tone or multiple-colour effect, directly from the primary application.		Flerfärgande färg		Multi-coloured coatings		Coatings designed to give a two-tone or multiple colour effect, directly from the primary application.		Interior coatings for walls, ceilings, wood and metal substrates	
				Färgfärg		"Flake" coatings		Glaze topcoat		Glaze topcoat	
k		Metallic, pearlescent and micaaceous effects are not considered as multicolours but as color shades in the relevant product categories		Kulörskiftande färg		Multicoloured coatings		Multicolour		Multicolour	
k											
k											
k											
k											
k											

CLASSIFICATION OF COATINGS ACCORDING TO SUBCATEGORIES

CEPE Technical Committee Decorative Paints CEPE Guideline - Annex A Classification of Decorative Coatings into Categories for the Directive 2004/42/EC		
General		
Sub category	Category description (Predominant functions)	
I	Decorative effect coatings	Coatings designed to give special aesthetic effects over specially prepared pre-painted substrates or base coats and subsequently treated with various tools during the drying period
I		Revêtements à effets décoratifs // Coatings met decoratief effect
I		Finition semi-transparente - Semi-transparente eindlaag.
I		Finition transparente, appliquée à la spatule - kleuroze finish, aangebracht met spatel
I		Glacis - glacijs
I		Peinture à effet transparente - Transparente effectverf
I		Peinture de fond et de colle pour les flocons soufflés - traag drogende grond- en kleeflaag voor vlokkentechniek
I		Peinture murale décorative aux rayures - decoratieve muurverf met strepeffect
I		Peinture structurée décorative à effet nuageux - Decoratieve structuurverf met wolkeffect
I		Stuccoeffet verf/ peinture effect stucco
I		
I		

date:	14/03/2005	date:	23/02/2005
local editor:	NVP (Debrue M-Eve)	local editor:	Anette Harbo, FDLF
Country:		Country:	
Belgium		DENMARK	
Examples of local classification of products in this subcategory		Examples of local classification of products (in local language)	
Decorative effect coatings Coatings designed to give special aesthetic effects over specially prepared pre-painted substrates or base coats and subsequently treated with various tools during the drying period		Effektmaling Coatings designed to give special aesthetic effects over specially prepared pre-painted substrates or base coats and subsequently treated with various tools during the drying period	
Finition semi-transparente - Semi-transparente eindlaag.		Effektlak	
Finition transparente, appliquée à la spatule - kleuroze finish, aangebracht met spatel		Effektlasur	
Glacis - glacijs		Effektmaling	
Peinture à effet transparente - Transparente effectverf			
Peinture de fond et de colle pour les flocons soufflés - traag drogende grond- en kleeflaag voor vlokkentechniek			
Peinture murale décorative aux rayures - decoratieve muurverf met strepeffect			
Peinture structurée décorative à effet nuageux - Decoratieve structuurverf met wolkeffect			
Stuccoeffet verf/ peinture effect stucco			

Classification of products into Categories		date: local editor:	Direction Aff. Techn. FIPEC	19/04/2005	date: local editor:	Country: GERMANY		20.09.2004 - 09.10.2006	date: local editor:
		FRANCE			Country: GERMANY				
		Examples of local classification of products (in local language)	Explanation in English	Examples of local classification of products (in German) Es werden branchenübliche, oft nicht den Normen entsprechende Produktbezeichnungen genannt					Country: Examples of local classification of products (in Italian)
Sub category									
	Revetements à effets décoratifs		Decorative effect coatings						
I	Decorative effects coatings	«revêtements à effets décoratifs» désigne des revêtements conçus pour obtenir des effets esthétiques spéciaux sur des supports pré-peints spécialement préparés ou sur des couches de base, et travaillés ensuite avec divers outils durant la phase de séchage.	Coatings designed to give special aesthetic effects over specially prepared pre-painted substrates or base coats and subsequently treated with various tools during the drying period	Beschichtungsstoffe für Dekorationseffekte zur Erzielung besonderer ästhetischer Effekte auf speziell vorbereiteten, vorgestrichenen Substraten oder Grundbeschichtungen, die während der Trocknung mit Werkzeugen behandelt werden	Coatings designed to give special aesthetic effects over specially prepared pre-painted substrates or base coats and subsequently treated with various tools during the drying period			Pittura con effetti decorativi	
I		Peinture à effet décoratif	Decorative effect paint		Effektbeschichtung	Decorative effect coatings; if a tool is used for treatment of the drying film		Pittura a effetto decorativo	
I		Peinture translucide à effet décoratif	Decorative effect translucent coatings		Effektfarbe, z.B. Folienabklatsch	Decorative effect paint; e.g. put plastic foil onto wet paint layer and remove it then			
I		Revêtement à effet décoratif	Decorative effect coatings		Effektfarbe, z.B. Wischeffekte	Decorative effect paint; e.g. wipe effect			
I					Effektlack	Decorative effect paint; if a tool is used for treatment of the drying film			
I					Effektlasur, z.B. opaleszierend	Decorative effect translucent coatings; if a tool is used for treatment of the drying film			
I					Strichlack	Decorative effect paint with visible brush marks; if a tool is used for treatment of the drying film			
I					Stukko-, Stukkollustro; aus flüssigen Beschichtungsstoffen	Stucco-effects; from liquid coating materials			
I									
I									